

Printing date 09/21/2021

Reviewed on 03/04/2021

riniing dule 09/21/2021	<i>Keviewed on 05/04/2021</i>
171,10,0	
1 Identification	
· Product identifier	
• Trade name: <u>UltradentTM Citric Acid Solution</u>	
 Article number: SDS 31-001.09, 15072 Application of the substance / the mixture Professional Dental Root Canal Cl 	eansing & Conditioning Agent
• Details of the supplier of the safety data sheet • Manufacturer/Supplier: Ultradent Products Inc. 505 W. Ultradent Drive (10200 S) South Jordan, UT 84095-3942 USA	
onlineordersupport@ultradent.com	
 Information department: Customer Service Emergency telephone number: CHEMTREC (NORTH AMERICA) :(800) 424-9300 (INTERNATIONAL) : +(703) 527-3887 	
2 Hazard(s) identification	
· Classification of the substance or mixture	
GHS08 Health hazard	
<i>Repr. 2</i> H361 Suspected of damaging fertility or the unborn child.	
GHS05 Corrosion	
Skin Corr. 1A H314 Causes severe skin burns and eye damage.	
Eye Dam. 1 H318 Causes serious eye damage.	
GHS07	
STOT SE 3 H335 May cause respiratory irritation.	
• Label elements • GHS label elements Void • Hazard pictograms GHS05, GHS07, GHS08 • Signal word Danger	
 Health Hazard-determining components of labeling: Citric Acid Monohydrate Hazard statements Causes severe skin burns and eye damage. Suspected of damaging fertility or the unborn child. May cause respiratory irritation. 	

Page 1/8

Printing date 09/21/2021

Reviewed on 03/04/2021

Trade name: Ultradent[™] Citric Acid Solution

	(Contd. of page 1)
· Precautionary sta	tements
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dusts or mists.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P33	1 If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P35	3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
	shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P33	8 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· Classification syst	tem:
· NFPA ratings (sc	ale 0 - 4)

 $\begin{array}{c} \mathbf{0} \\ \mathbf{3} \\ \mathbf{0} \\ \mathbf{$

· HMIS-ratings (scale 0 - 4)

HEALTH	3	Health = 3
FIRE	0	Fire = 0
REACTIVITY	0	<i>Reactivity</i> $= 0$

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	s components:		
5949-29-1	Citric Acid Monohydrate		≥20- <i>≤</i> 25%
	Dimethicone	🚸 Repr. 2, H361; STOT RE 2, H373	≥ 0.1-<10%

4 First-aid measures

• Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

US

Printing date 09/21/2021

Reviewed on 03/04/2021

Trade name: UltradentTM Citric Acid Solution

(Contd. of page 2)

- *After swallowing:* Drink copious amounts of water and provide fresh air. Immediately call a doctor. • *Information for doctor:*
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- Foam, dry chemical, carbon dioxide
- Use fire fighting measures that suit the environment.
- *Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.*

• Advice for firefighters

- · Protective equipment:
- Wear fully protective suit.

Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Avoid contact with eyes. Ensure good ventilation/exhaustion at the workplace.
- *Open and handle receptacle with care.*
- Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

[—] US

Printing date 09/21/2021

Reviewed on 03/04/2021

Trade name: UltradentTM Citric Acid Solution

(Contd. of page 3)

• Further information about storage conditions:

See product labelling.

Keep receptacle tightly sealed.

• Specific end use(s) Professional Dental Root Canal Cleansing & Conditioning Agent

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 5)

Printing date 09/21/2021

Reviewed on 03/04/2021

Trade name: UltradentTM Citric Acid Solution

(Contd. of page 4)

Physical and chemical proper	ties
Information on basic physical and	chemical properties
General Information	1 1
Appearance:	
Form:	Liquid
Color:	Orange
Odor:	Odorless
Odor threshold:	Not determined.
pH-value at 20 °C:	1.7
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C
Flash point:	Not Determined
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density at 20 °C:	$1.1-1.2 \text{ g/cm}^3$
Relative density	Not determined
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Partly soluble
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined
Solvent content:	
Water:	<80 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
VOC (EC)	0.00 %
Solids content:	<40.0 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity Stable

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 6)

US

Printing date 09/21/2021

Reviewed on 03/04/2021

Trade name: UltradentTM Citric Acid Solution

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid Ignition sources Flames
- Heat
- · Incompatible materials: Strong caustics, most metals
- · Hazardous decomposition products: Carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

5949-29-1 Citric Acid Monohydrate

- Oral LD50 5,790 mg/kg (mouse)
- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 7)

(Contd. of page 5)

Printing date 09/21/2021

Reviewed on 03/04/2021

Trade name: UltradentTM Citric Acid Solution

(Contd. of page 6)

Must not reach bodies of water or drainage ditch undiluted or unneutralized. Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Results of PBT and vPvB assessment

• *PBT*: Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT, ADN, IMDG, IATA	Not Regulated
UN proper shipping name DOT, ADN, IMDG, IATA	Not Regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA Class	Not Regulated
Packing group DOT, IMDG, IATA	Not Regulated
Environmental hazards:	Not Applicable.
Special precautions for user	Not Applicable
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not Applicable.
UN "Model Regulation":	Not Regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 8)

⁻ US

Printing date 09/21/2021

Reviewed on 03/04/2021

Trade name: UltradentTM Citric Acid Solution

(Contd. of page 7)

• TSCA (Toxic Substances Control Act): • Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· ACGIH Carcinogenicity (American Conference of Governmental Industrial Hygienists)

None of the ingredients is listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Chemical safety assessment:

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environmental, Health, and Safety

- Contact: Customer Service
- · Date of preparation / last revision 09/21/2021 / -

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Repr. 2: Reproductive toxicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2