

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 08/04/2006

SDS No : 55-001.8

Date Revised : 10/19/2015

Revision No : 8

PermaFlo®**SECTION 1 : Identification of the substance/preparation and of the company/undertaking****1.1. Product identifier**

Product code : JA/94705, JB/94608, JC/94617, JD/94621, JE/94625, JF/94630, JG/94636, JV/76377, JW/76387

Product name : PermaFlo®

Product description : Light cure luting and flowable composite

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Professional Dental Restorative Material

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Ultradent Products, Inc.
505 W. 10200 S.
South Jordan, UT 84095

Distributor

Ultradent Products GmbH
Am Westhover Berg 30
51149 Cologne Germany
Email: infoDE@ultradent.com
Emergency Phone : +49(0)2203-35-92-0

1.4. Emergency telephone number

CHEMTREC (NORTH AMERICA) :(800) 424 - 9300
(INTERNATIONAL) :+1(703) 527 - 3887

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Directive 1999/45/EC**

: The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Danger symbols : Xi

R phrases : R36/38,R43

Classification according to Regulation(EC) No 1272/2008 [CLP]

Health : Eye Irritation
Skin Sensitization

2.2. Label elements**Classification according to Directive 1999/45/EC**

Hazard pictogram(s) : Xi



Irritant

R&S statement(s) : R36/38: Irritating to eyes and skin.
R43: May cause sensitization by skin contact.

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010
Dental Use

ULTRADENT
PRODUCTS, INC.

Date Issued : 08/04/2006
SDS No : 55-001.8
Date Revised : 10/19/2015
Revision No : 8

PermaFlo®

Classification according to Regulation(EC) No 1272/2008 [CLP]

Hazard pictogram(s) :



Exclamation
mark

Signal Word :

WARNING

Hazard statement(s) :

H319: Causes serious eye irritation.
H317: May cause an allergic skin reaction.

Precautionary statement(s)

Prevention :

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response :

P305: IF IN EYES:
P351: Rinse cautiously with water for several minutes.
P313: Get medical advice/attention.
P302+P352: IF ON SKIN: Wash with plenty of soap and water.
P332+P313: If skin irritation occurs: Get medical advice/attention.

Storage :

P273: Avoid release to the environment.

Disposal :

P501: Dispose of in compliance with governmental regulation. (EC 1975L0442-20/11/2003)

2.3. Other hazards

Immediate concerns :

None

SECTION 3: Composition / information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

Chemical Name	CAS	EINECS No.	Wt. %	Classification according to Directive 67/548/EEC	Classification according to Regulation(EC) No 1272/2008 [CLP]
Triethylene Glycol Dimethacrylate	109-16-0	203-652-6	< 25	Xi; R43	Not Classified
Bis GMA	1565-94-2	216-367-7	< 10	Xi; R36/37/38; R22	H315; H319; H317
Sodium Monofluorophosphate	10163-15-2	233-433-0	0.3	T; R22; R38	Acute Tox. (O),Cat. 4; H302

For full text of H-statements and R-phrases: see SECTION 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 08/04/2006

SDS No : 55-001.8

Date Revised : 10/19/2015

Revision No : 8

PermaFlo®**SECTION 4: First aid measures****4.1. Description of first aid measures**

- Following eyes** : Flush eye with water for 15 minutes. Get medical attention.
- Following skin** : Wash with soap and water. Get medical attention if irritation develops or persists.
- Following ingestion** : If swallowed in small quantity the product is harmless, otherwise consult a doctor.
- Following inhalation** : No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop.

4.2. Most important symptoms and effects, both acute and delayed

- Eyes** : May cause mild irritation.
- Skin** : May cause sensitization to skin.
- Ingestion** : May be harmful if swallowed in large quantities.
- Inhalation** : None expected for this product.

4.3. Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Not Applicable

SECTION 5: Fire fighting measures**5.1. Extinguishing media**

- Extinguishing media** : Please see Fire Fighting Equipment under Section 5.3.

5.2. Special hazards arising from the substance or mixture

- Hazardous combustion products** : Not Determined

5.3. Advice for firefighters

- Fire fighting procedures** : As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.
- Fire fighting equipment** : Water spray, fog, or mist, foam, dry chemical, carbon dioxide(CO₂)

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

- General procedures** : Refer to Section 8 for Personal Protective Equipment.

6.2. Environmental precautions

- Water spill** : Do not allow to enter sewers or drains that may lead to waterways.

6.3. Methods and material for containment and cleaning up

- Small spill** : Wipe up small amounts with chemical resistant or damp rag which is washed with large amounts of water after each use. After cleaning, flush away traces with water.

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 08/04/2006
SDS No : 55-001.8
Date Revised : 10/19/2015
Revision No : 8

PermaFlo®

Large spill : Absorb with inert, damp non-combustible material, then flush area with water.

6.4. Reference to other sections

Reference to other sections : Not Applicable

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling : Keep away from heat sources and direct sunlight.

Storage : See product labeling.

7.2. Conditions for safe storage, including any incompatibilities

Shelf life : See product labeling

7.3. Specific end use(s)

Specific end use(s) : Professional Dental Restorative Material

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Control parameters : Not Determined

8.2. Exposure controls

Eye/face protection : Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection : Wear suitable protective clothing and gloves.

Respiratory protection : Good general ventilation should be sufficient to control airborne levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Viscous substance

Colour : Shade dependent.

Odour : Acrylic

9.2. Other information

Percent volatile : Not Determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : Stable

10.2. Chemical stability

Chemical stability : Stable when stored and handled under recommended conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization : None

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 08/04/2006
SDS No : 55-001.8
Date Revised : 10/19/2015
Revision No : 8

PermaFlo®

10.4. Conditions to avoid

Conditions to avoid : Heat, flames, ignition sources, direct light.

10.5. Incompatible materials

Incompatible materials : Not Determined

10.6. Hazardous decomposition products

Hazardous decomposition products : None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute

Notes : Device is biocompatible when used as directed by dental professionals per ISO 10993-1.

SECTION 12: Ecological information

12.1. Toxicity

Aquatic toxicity (acute) : Do not allow to enter sewers or drains that may lead to waterways.

96-hour LC₅₀ : Not Determined

48-hour EC₅₀ : Not Determined

96-hour EC₅₀ : Not Determined

12.2. Persistence and degradability

Persistence and degradability : Not Determined

12.3. Bioaccumulative potential

Bioaccumulative potential : Not Determined

12.4. Mobility in soil

Mobility in soil : Not Determined

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : Not Determined

12.6. Other adverse effects

Environmental data : No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal method : Dispose of in compliance with governmental regulation.(EC 1975L0442-20/11/2003)

SECTION 14: Transport information

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 08/04/2006

SDS No : 55-001.8

Date Revised : 10/19/2015

Revision No : 8

PermaFlo®**14.1. UN number**

UN number : N/A

14.2. UN proper shipping name

UN proper shipping name : Not Dangerous Goods

14.3. Transport hazard class(es)

Hazard classification : N/A

14.4. Packing group

Packing group : N/A

14.5. Environmental hazards

Marine pollutant #1 : N/A

14.6. Special precautions for user

ADR - road : Not Dangerous Goods

RID - rail : Not Dangerous Goods

IMDG - sea : Not Dangerous Goods

IATA - air : Not Dangerous Goods

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk : Not Dangerous Goods

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

RoHS : Please refer to Medical Devices Directive 93/42/EEC

15.2. Chemical safety assessment

Chemical safety assessment : See Section 11

Additional information : This product is not considered dangerous for transportation

SECTION 16: Other information

Relevant R-phrases and/or H-statements (number and full text) : R22: Harmful if swallowed.
 R36/37/38: Irritating to eyes, respiratory system and skin.
 R38: Irritating to skin.
 R43: May cause sensitization by skin contact.
 Acute Tox. (O), Cat. 4: Acute Toxicity (Oral), Category 4
 Not Classified, : Not Classified,
 H302: Harmful if swallowed.
 H315: Causes skin irritation.
 H317: May cause an allergic skin reaction.
 H319: Causes serious eye irritation.

Prepared by : Anu Kattoju

Revision summary : This SDS replaces the 05/01/2015 SDS. Revised: **Section 1:**
 . **Section 4:** EYES. **Section 5:** EXPLOSION HAZARDS, FIRE
 EXPLOSION, HAZARDOUS COMBUSTION PRODUCTS, SENSITIVE TO

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use

**Date Issued :** 08/04/2006**SDS No :** 55-001.8**Date Revised :** 10/19/2015**Revision No :** 8**PermaFlo®**

STATIC DISCHARGE, SENSITIVITY TO IMPACT. **Section 10:**
 CONDITIONS TO AVOID. **Section 15:** COMMENTS.

General statements

: N/A= Not Applicable

Manufacturer disclaimer

: FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material SDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer, makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.