

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 04/07/2008

SDS No : 213-001.4

Date Revised : 08/11/2015

Revision No : 3

UltraPro® TX Prophy Paste all grits (Cool Mint, Walterberry, Bubble Gum, Orange Dreamsicle)
SECTION 1 : Identification of the substance/preparation and of the company/undertaking
1.1. Product identifier

Product code : 8309-8315, 8321-8324, 8326-8327
Product name : UltraPro® TX Prophy Paste all grits (Cool Mint, Walterberry, Bubble Gum, Orange Dreamsicle)
Product description : Prophy Paste

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Professional Dental Prophy Paste

1.3. Details of the supplier of the safety data sheet
Manufacturer

Ultradent Products, Inc.
 505 W. 10200 S.
 South Jordan, UT 84095

Distributor

Ultradent Products GmbH
 Am Westhover Berg 30
 51149 Cologne Germany
 Email: infoDE@ultradent.com
Emergency Phone : +49(0)2203-35-92-0

1.4. Emergency telephone number

CHEMTREC (NORTH AMERICA) :(800) 424 - 9300
(INTERNATIONAL) :+1(703) 527 - 3887

SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
Classification according to Directive 1999/45/EC

: The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Danger symbols : Xi

R phrases : R32,R36/38

Classification according to Regulation(EC) No 1272/2008 [CLP]

Health : Eye Irritation, Category 2
 Skin Irritation, Category 2

2.2. Label elements
Classification according to Directive 1999/45/EC

Hazard pictogram(s) : Xi



Irritant

R&S statement(s) : R32: Contact with acids liberates very toxic gas.

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 04/07/2008

SDS No : 213-001.4

Date Revised : 08/11/2015

Revision No : 3

UltraPro® TX Prophy Paste all grits (Cool Mint, Walterberry, Bubble Gum, Orange Dreamsicle)

R36/38: Irritating to eyes and skin.

Classification according to Regulation(EC) No 1272/2008 [CLP]**Hazard pictogram(s)**

:

Exclamation
mark**Signal Word**

: DANGER

Hazard statement(s)

: H315: Causes skin irritation.

H319: Causes serious eye irritation.

Precautionary statement(s)**Prevention**

: P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response

: P305: IF IN EYES:

P351: Rinse cautiously with water for several minutes.

P337+P313: If eye irritation persists: Get medical advice/attention.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P301: IF SWALLOWED:

P330: Rinse mouth.

P314: Get medical advice/attention if you feel unwell.

Storage

: P273: Avoid release to the environment.

Disposal: P501: Dispose of in compliance with governmental regulation.
(EC1975L0442-10/11/2003)**2.3. Other hazards****Immediate concerns**

: None

SECTION 3: Composition / information on ingredients**3.1. Substances**

Not Applicable

3.2. Mixtures

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 04/07/2008

SDS No : 213-001.4

Date Revised : 08/11/2015

Revision No : 3

UltraPro® TX Prophy Paste all grits (Cool Mint, Walterberry, Bubble Gum, Orange Dreamsicle)

Chemical Name	CAS	EINECS No.	Wt. %	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No 1272/2008 [CLP]
Sodium Fluoride	007681-49-4	231-667-8	≤ 3	T, Xi; R25; R32; R36/38	Eye Irr., Cat. 2; Skin Irr., Cat. 2; Acute Tox. (O), CAT 3; EUH032; H301; H315; H319
Potassium Nitrate	007757-79-1	231-818-8	≤ 5	Xi; R36/37/38	Oxid. Sol., Cat. 2; Skin Irr., Cat. 2; Eye Irr., Cat. 2; H272; H315; H319; H335
Sodium Silicate	1344-09-8	215-687-4	< 15	Xi; R22; R36/37/38	Acute Tox. (O), Cat. 4; Skin Irr., Cat. 2; EYE DMG., Cat. 1; H302; H315; H318
Phosphoric Acid	7664-38-2	231-633-2	≤ 5	C; R34	Skin Corr., Cat. 1B; H314

For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures**4.1. Description of first aid measures**

- Following eyes** : Flush eyes with water for 5 minutes. Get medical attention if irritation develops or persists.
- Following skin** : Wash with soap and water. Get medical attention if irritation develops or persists.
- Following ingestion** : Rinse mouth out with water. Seek medical attention if irritation develops or persists.
- Following inhalation** : No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop.

4.2. Most important symptoms and effects, both acute and delayed

- Eyes** : May cause eye irritation.
- Skin** : May cause slight irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 04/07/2008

SDS No : 213-001.4

Date Revised : 08/11/2015

Revision No : 3

UltraPro® TX Prophy Paste all grits (Cool Mint, Walterberry, Bubble Gum, Orange Dreamsicle)

Ingestion : Maybe harmful if swallowed in large quantities.

Inhalation : None Expected.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician : Not Applicable

SECTION 5: Fire fighting measures
5.1. Extinguishing media

Extinguishing media : Please see Fire Fighting Equipment under Section 5.3.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Not Determined

Explosion hazards : Not Determined

Fire explosion : Not Determined

Sensitive to static discharge : Not Determined

Sensitivity to impact : Not Determined

5.3. Advice for firefighters

Fire fighting procedures : General: Evacuate all personnel; use protective equipment for fire-fighting. Use self-contained breathing apparatus when the product is involved in fire.

Fire fighting equipment : Water spray, fog, or mist, foam, dry chemical, carbon dioxide(CO₂)

SECTION 6: Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

General procedures : Refer to Section 8 for Personal Protective Equipment.

6.2. Environmental precautions

Water spill : Do not allow to enter sewers or drains that may lead to waterways.

6.3. Methods and material for containment and cleaning up

Small spill : Wipe up with cloth, soap and water.

Large spill : After removal, flush contaminated area thoroughly with water.

6.4. Reference to other sections

Reference to other sections : Not Applicable

SECTION 7: Handling and storage
7.1. Precautions for safe handling

General procedures : Avoid contact with eyes, skin and clothing.

Storage : See product labeling.

7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : See product labeling

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 04/07/2008

SDS No : 213-001.4

Date Revised : 08/11/2015

Revision No : 3

UltraPro® TX Prophy Paste all grits (Cool Mint, Walterberry, Bubble Gum, Orange Dreamsicle)

Shelf life : See product labeling

7.3. Specific end use(s)

Specific end use(s) : Professional Dental Prophy Paste

SECTION 8: Exposure controls / personal protection
8.1. Control parameters

Control parameters : Not Determined

8.2. Exposure controls

Engineering controls : Good general ventilation should be sufficient to control airborne levels.

Eye/face protection : Wear eye protection

Skin protection : Wear suitable protective clothing and gloves.

Respiratory protection : Good general ventilation should be sufficient to control airborne levels.

SECTION 9: Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state : Paste

Colour : Color dependent

Odour : Flavor dependent

9.2. Other information

Percent volatile : Not Volatile

SECTION 10: Stability and reactivity
10.1. Reactivity

Reactivity : Stable

10.2. Chemical stability

Chemical stability : Stable when stored and handled under recommended conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization : None

10.4. Conditions to avoid

Conditions to avoid : Contact with acids liberates very toxic gas.

10.5. Incompatible materials

Incompatible materials : Strong oxidizing agents. Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition products : None known.

SECTION 11: Toxicological information

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 04/07/2008

SDS No : 213-001.4

Date Revised : 08/11/2015

Revision No : 3

UltraPro® TX Prophy Paste all grits (Cool Mint, Walterberry, Bubble Gum, Orange Dreamsicle)
11.1. Information on toxicological effects**Acute**

Dermal LD₅₀	: Not Determined
Oral LD₅₀	: Not Determined
Inhalation LC₅₀	: Not Determined

SECTION 12: Ecological information**12.1. Toxicity**

Aquatic toxicity (acute)	: Do not allow to enter sewers or drains that may lead to waterways.
96-hour LC₅₀	: Not Determined
48-hour EC₅₀	: Not Determined
96-hour EC₅₀	: Not Determined

12.2. Persistence and degradability

Persistence and degradability	: Not Determined
--------------------------------------	------------------

12.3. Bioaccumulative potential

Bioaccumulative potential	: None
----------------------------------	--------

12.4. Mobility in soil

Mobility in soil	: Not Determined
-------------------------	------------------

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	: Not Determined
---	------------------

12.6. Other adverse effects

Environmental data	: Biodegradable
Additional information	: Negligible ecotoxicity.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Disposal method	: Dispose of in compliance with governmental regulation.(EC 1975L0442-20/11/2003)
------------------------	---

SECTION 14: Transport information**14.1. UN number**

UN number	: N/A
------------------	-------

14.2. UN proper shipping name

UN proper shipping name	: Not Dangerous Goods
--------------------------------	-----------------------

14.3. Transport hazard class(es)

Primary hazard class/division	: N/A
--------------------------------------	-------

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 04/07/2008

SDS No : 213-001.4

Date Revised : 08/11/2015

Revision No : 3

UltraPro® TX Prophy Paste all grits (Cool Mint, Walterberry, Bubble Gum, Orange Dreamsicle)

Hazard classification : N/A

14.4. Packing group

Packing group : N/A

14.5. Environmental hazards

Marine pollutant #1 : N/A

14.6. Special precautions for user

ADR - road : Not Dangerous Goods

RID - rail : Not Dangerous Goods

IMDG - sea : Not Dangerous Goods

IATA - air : Not Dangerous Goods

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk : Not Dangerous Goods

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

RoHS : Please refer to Medical Devices Directive 93/42/EEC

15.2. Chemical safety assessment

Chemical safety assessment : Not Determined

Additional information : This product is not considered dangerous for transportation

SECTION 16: Other information

Relevant R-phrases and/or H-statements (number and full text) :

- R22: Harmful if swallowed.
- R25: Toxic if swallowed.
- R32: Contact with acids liberates very toxic gas.
- R34: Causes burns.
- R36/37/38: Irritating to eyes, respiratory system and skin.
- R36/38: Irritating to eyes and skin.
- Acute Tox. (O), CAT 3: Acute Toxicity (Oral), Category 3
- Acute Tox. (O), Cat. 4: Acute Toxicity (Oral), Category 4
- EYE DMG., Cat. 1: Eye Damage, Category 1
- Eye Irr., Cat. 2: Eye Irritation, Category 2
- Oxid. Sol., Cat. 2: Oxidizing Solids, Category 2
- Skin Corr., Cat. 1B: Skin Corrosion, Category 1B
- Skin Irr., Cat. 2: Skin Irritation, Category 2
- EUH032: Contact with acids liberates very toxic gas.
- H272: May intensify fire; oxidizer.
- H301: Toxic if swallowed.
- H302: Harmful if swallowed.
- H314: Causes severe skin burns and eye damage.
- H315: Causes skin irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 04/07/2008

SDS No : 213-001.4

Date Revised : 08/11/2015

Revision No : 3

UltraPro® TX Prophy Paste all grits (Cool Mint, Walterberry, Bubble Gum, Orange Dreamsicle)

H318: Causes serious eye damage.
 H319: Causes serious eye irritation.
 H335: May cause respiratory irritation.

Prepared by

: Anu Kattoju

Revision summary

: This SDS replaces the 05/21/2014 SDS. Revised: **Section 1:** GENERAL USE. **Section 2:** EMERGENCY OVERVIEW - IMMEDIATE CONCERNS. **Section 7:** . **Section 8:** PERSONAL PROTECTIVE EQUIPMENT (EYES AND FACE). **Section 9:** PERCENT VOLATILE. **Section 10:** CONDITIONS TO AVOID, HAZARDOUS POLYMERIZATION, STABILITY, STABLE. **Section 14:** ROAD AND RAIL (ADR/RID) - PROPER SHIPPING NAME ROAD AND RAIL (UK only) (CDG) - SPECIAL PROVISIONS SECTION 14: Transport information, Primary hazard class/division, ADR - road, IMDG - sea, IATA - air. **Section 15:** COMMENTS.

General statements

: N/A= Not Applicable

Manufacturer disclaimer

: FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material SDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer, makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.