

Printing date 06/10/2025 Reviewed on 06/10/2025

1 Identification

· Product identifier

· Trade name: OpalDamTM

· Article number: SDS 2-001.14R01, 32103, 14904, 32101, 324-JP, 325-JP, 1108, 324-U, 325-U, 326-P3, 326-U

· Application of the substance / the mixture Professional Light Cure Resin Barrier

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Ultradent Products Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

· Information department: Customer Service

Emergency telephone number:

CHEMTREC (NORTH AMERICA): +1 (800) 424-9300 (INTERNATIONAL): +(703) 527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Eye Irritation 2A H319 Causes serious eye irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements Void
- · Hazard pictograms GHS07
- · Signal word Warning
- · Health Hazard-determining components of labeling:

Diurethane Dimethacrylate

Trade Secret

· Hazard statements

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P337+P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

(Contd. on page 2)

Printing date 06/10/2025 Reviewed on 06/10/2025

Trade name: OpalDamTM

(Contd. of page 1)

P501

Dispose of contents/container in accordance with local/regional/national/international

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



2 Health = 2 Fire = 0

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components: | | |
|-------------------------|----------------------------|----------|
| 72869-86-4 | Diurethane Dimethacrylate | >75-<85% |
| 36653-82-4 | 1-Hexadecanol | >10-<25% |
| 112926-00-8 | Synthetic Amorphous Silica | >1-<10% |
| 12001-26-2 | Mica | >0.1-<5% |
| | Trade Secret | <1% |

Additional information:

The specific chemical identity of composition is being withheld as a trade secret. The specific chemical identity is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of paragraph §1910.1200.

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Seek medical treatment in case of complaints.

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 3)

Printing date 06/10/2025 Reviewed on 06/10/2025

Trade name: OpalDamTM

(Contd. of page 2)

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

See product labelling.

Keep receptacle tightly sealed.

· Specific end use(s) Professional Light Cure Resin Barrier

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

| 112926-00-8 Synthetic Amorp | hous Silica |
|-----------------------------|-------------|
|-----------------------------|-------------|

PEL 20mppcf or 80mg/m3 /%SiO2

REL Long-term value: 6 mg/m³

See Pocket Guide App. C

TLV TLV withdrawn

(Contd. on page 4)

Printing date 06/10/2025 Reviewed on 06/10/2025

Trade name: OpalDamTM

(Contd. of page 3)

12001-26-2 Mica

PEL Long-term value: 20 mppcf ppm

<1% crystalline silica

REL Long-term value: 3* mg/m³

*respirable dust; containing < 1% quartz

TLV Long-term value: 0.1 mg/m³
*Respirable particulate matter

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Viscous
Color: Yellow tint

(Contd. on page 5)

Printing date 06/10/2025 Reviewed on 06/10/2025

Trade name: OpalDamTM

| | | (Contd. of page |
|--------------------------------------|---|-----------------|
| Odor: | Acrylic | |
| Odor threshold: | Not determined. | |
| pH-value: | Not applicable (non-aqueous) | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | Undetermined | |
| Flash point: | Not applicable | |
| Flammability: | Not applicable. | |
| Decomposition temperature: | Not determined. | |
| Ignition temperature: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure: | Not determined. | |
| Density at 20 °C: | 1.11 g/cm³ | |
| Relative density | Not determined | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Not miscible or difficult to mix. | |
| Partition coefficient (n-octanol/wat | ter): Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

HC

Printing date 06/10/2025 Reviewed on 06/10/2025

Trade name: OpalDamTM

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| · LD/LC50 | LD/LC50 values that are relevant for classification: | | | | | |
|------------|--|----------------------------|--|--|--|--|
| 72869-86- | 72869-86-4 Diurethane Dimethacrylate | | | | | |
| Oral | LD50 | >5,000 mg/kg (rat) | | | | |
| 36653-82- | 36653-82-4 1-Hexadecanol | | | | | |
| Oral | LD50 | 3,200 mg/kg (mouse) | | | | |
| | | 5,000 mg/kg (rat) | | | | |
| Dermal | LD50 | <10,000 mg/kg (guinea pig) | | | | |
| | | >2,600 mg/kg (rabbit) | | | | |
| 112926-00 | 112926-00-8 Synthetic Amorphous Silica | | | | | |
| Oral | LD50 | >5,000 mg/kg (rat) | | | | |
| Dermal | LD50 | >5,000 mg/kg (rabbit) | | | | |
| Trade Sec | ret | | | | | |
| Oral | LD50 | 1,550 mg/kg (rat) | | | | |
| | LC50 Fish | 19 mg/l (Fish) | | | | |
| Dermal | LD50 | 2,000 mg/kg (rabbit) | | | | |
| Inhalative | LC50/4 h | 96 mg/l (rat) | | | | |

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

| · Toxicity | |
|---------------------|--|
| · Aquatic toxicity: | |
| 72869-86-4 Diur | ethane Dimethacrylate |
| EC50 | >0.6 mg/kg (Algae) |
| Biodegradability | 28 days (Aerobic) (Biodegradability testing) |
| 36653-82-4 1-Не | xadecanol |
| EC50 | 676 mg/kg (Algae) |
| | (Contd. on page 7) |

(Contd. on page 7)

Printing date 06/10/2025 Reviewed on 06/10/2025

Trade name: OpalDamTM

(Contd. of page 6)

Trade Secret

EC50 42 mg/kg (Algae)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

| Transport information | |
|---|-----------------|
| UN-Number DOT, ADN, IMDG, IATA | Not Regulated |
| UN proper shipping name DOT, ADN, IMDG, IATA | Not Regulated |
| Transport hazard class(es) | |
| DOT, ADN, IMDG, IATA | |
| Class | Not Regulated |
| Packing group | |
| DOT, IMDG, IATA | Not Regulated |
| Environmental hazards: | Not Applicable. |
| Special precautions for user | Not Applicable |
| Transport in bulk according to Annex | II of |
| MARPOL73/78 and the IBC Code | Not Applicable. |

15 Regulatory information

· UN "Model Regulation":

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

Not Regulated

(Contd. on page 8)

Printing date 06/10/2025 Reviewed on 06/10/2025

Trade name: OpalDamTM

| Sara | (Contd. of pag |
|---|----------------|
| Section 355 (extremely hazardous substances): | |
| None of the ingredients is listed. | |
| Section 313 (Specific toxic chemical listings): | |
| Trade Secret | |
| TSCA (Toxic Substances Control Act): | |
| 72869-86-4 Diurethane Dimethacrylate | ACTIV |
| 36653-82-4 1-Hexadecanol | ACTIV |
| Trade Secret | ACTIV |
| Hazardous Air Pollutants | |
| None of the ingredients is listed. | |
| Proposition 65 | |
| Chemicals known to cause cancer: | |
| None of the ingredients is listed. | |
| Chemicals known to cause reproductive toxicity for females: | |
| None of the ingredients is listed. | |
| Chemicals known to cause reproductive toxicity for males: | |
| None of the ingredients is listed. | |
| Chemicals known to cause developmental toxicity: | |
| 64-17-5 Ethyl Alcohol | |
| Carcinogenic categories | |
| EPA (Environmental Protection Agency) | |
| None of the ingredients is listed. | |
| ACGIH Carcinogenicity (American Conference of Governmental Industrial Hygienists) | |
| Trade Secret | , |
| 64-17-5 Ethyl Alcohol | |
| NIOSH-Ca (National Institute for Occupational Safety and Health) | |
| None of the ingredients is listed. | |
| Chemical safety assessment: | |

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

- · Department issuing SDS: Environmental, Health, and Safety
- · Contact: Customer Service
- · Date of preparation / last revision 06/10/2025 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

Printing date 06/10/2025 Reviewed on 06/10/2025

Trade name: OpalDamTM

(Contd. of page 8)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
Sensitization - Skin 1: Skin sensitisation – Category 1

* Data compared to the previous version altered.