



Safety Data Sheet

acc. to OSHA HCS

Printing date 10/07/2025

Reviewed on 10/07/2025

1 Identification

Product identifier

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

Article number:

SDS 372-001.06R01, 15053, 15054, 71048, 89198, S4630, S4635-CA, S4635-CN, 1010506, 1010507, 1011723, 1011741, 1013220, 1013222, 1013465, 1013470, 4635-CA, 4635-CN, 1010524, 1011730, 1011743, 1013083, 1013084, 1013085, 1013221, 1013223, 1013467, 1013471, 4638-CA, 4638-CN, 4648-CA, 89201, 4894-CA, 4894-CN, 6245, S4633, S4633-CA, S4633-CN

Application of the substance / the mixture Professional Dental Teeth Whitening Gel

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Ultradent Products Inc.
505 W. Ultradent Drive (10200 S)
South Jordan, UT 84095-3942
USA
onlineordersupport@ultradent.com
(800) 552-5512

Information department: Customer Service

Emergency telephone number:

CHEMTREC (NORTH AMERICA) : +1 (800) 424-9300
(INTERNATIONAL) : +(703) 527-3887

2 Hazard(s) identification

Classification of the substance or mixture



GHS03 Flame over circle

Oxidizing Liquids 1 H271 May cause fire or explosion; strong oxidizer.



GHS05 Corrosion

Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

Label elements

GHS label elements Void

Hazard pictograms GHS03, GHS05, GHS07

Signal word Danger

Health Hazard-determining components of labeling:

Hydrogen Peroxide

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/07/2025

Reviewed on 10/07/2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 1)

Carbamide Peroxide
Artificial Watermelon
Sodium Hydroxide
Oils, Peppermint

· **Hazard statements**

H271 May cause fire or explosion; strong oxidizer.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

· **Precautionary statements**

P220 Keep/Store away from clothing and other combustible materials

P221 Take any precaution to avoid mixing with combustibles.

P260 Do not breathe dusts or mists.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P283 Wear fire/flame resistant/retardant clothing.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P306+P360 If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.

P371+P380+P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 3

Reactivity = 0

The substance possesses oxidizing properties.

· **HMIS-ratings (scale 0 - 4)**



Health = *3

Fire = 3

Reactivity = 0

US

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/07/2025

Reviewed on 10/07/2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 2)

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

56-81-5	Glycerin	≥10-<40%
7722-84-1	Hydrogen Peroxide	≥7-≤15%
9003-01-4	Polyacrylic Acid	1-10%
124-43-6	Carbamide Peroxide	≥5-≤10%
1310-73-2	Sodium Hydroxide	≥3-<5%
	Trade Secret	1-10%
7757-79-1	Potassium Nitrate	≥0.1-≤3%
	Artificial Watermelon	≥0-≤3%
8006-90-4	Oils, Peppermint	≥0-<1%
7681-49-4	Sodium Fluoride	≥0.1-<1%

- **Additional information:**
The specific chemical identity of composition is being withheld as a trade secret. The specific chemical identity is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of paragraph §1910.1200.

4 First-aid measures

- **Description of first aid measures**
- **General information:**
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:**
This product is a viscous gel, therefore chance of inhalation is extremely low.
Seek medical treatment in case of complaints.
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
If skin irritation continues, consult a doctor.
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
If swallowed in large quantities seek medical attention.
Immediately call a doctor.
Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/07/2025

Reviewed on 10/07/2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 3)

- **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:**
Wear fully protective suit.
Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
See product labelling.
Keep receptacle tightly sealed.
- **Specific end use(s)** Professional Dental Teeth Whitening Gel

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/07/2025

Reviewed on 10/07/2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 4)

56-81-5 Glycerin

PEL Long-term value: 15* 5** mg/m³
mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

7722-84-1 Hydrogen Peroxide

PEL Long-term value: 1.4 mg/m³, 1 ppm

REL Long-term value: 1.4 mg/m³, 1 ppm

TLV Long-term value: 1 ppm
A3

9003-01-4 Polyacrylic Acid

TWA Short-term value: 0.05 mg/m³

1310-73-2 Sodium Hydroxide

PEL Long-term value: 2 mg/m³

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

Trade Secret

TWA Short-term value: 0.8 mg/m³

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**· **Personal protective equipment:**· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/07/2025

Reviewed on 10/07/2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 5)

· **Eye protection:**

Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

· Form:	Gel
· Color:	Colorless to White
· Odor:	Product specific
· Odor threshold:	Not determined.

· **pH-value at 20 °C:** 5.2-7.4· **Change in condition**

· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	Undetermined

· **Flash point:** Not applicable· **Flammability:** Not applicable.· **Decomposition temperature:** Not determined.· **Ignition temperature:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.
Explosive when mixed with combustible material.

· **Explosion limits:**

· Lower:	Not determined.
· Upper:	Not determined.

· **Vapor pressure:** Not determined.· **Density:** Not determined· **Relative density** Not determined· **Vapor density** Not determined.· **Evaporation rate** Not determined.· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.· **Viscosity:**

· Dynamic:	Not determined.
· Kinematic:	Not determined

· **Other information** No further relevant information available.

US
(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/07/2025

Reviewed on 10/07/2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 6)

10 Stability and reactivity

- **Reactivity** Stable
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Excess heat
- **Incompatible materials:** Strong caustics, most metals
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	1,635-3,181 mg/kg
Dermal	LD50	22,771-23,774 mg/kg
Inhalative	LC50/4 h	85.9-141 mg/l

56-81-5 Glycerin

Oral	LD50	7,750 mg/kg (guinea pig) 4,100 mg/kg (mouse) 5,570 mg/kg (rat) 27,000 mg/kg (rabbit)
Dermal	LC50 Fish	>5,000 mg/l (Fish)
	LD50	>21,900 mg/kg (rat) 10,000 mg/kg (rabbit)

7722-84-1 Hydrogen Peroxide

Oral	LC50 Fish	16.4 mg/l (Fish)
------	-----------	------------------

9003-01-4 Polyacrylic Acid

Oral	LC50 Fish	580 mg/l (Fish)
------	-----------	-----------------

124-43-6 Carbamide Peroxide

Oral	LD50	>2,000 mg/kg (rat)
------	------	--------------------

1310-73-2 Sodium Hydroxide

Oral	LD50	130-340 mg/kg (rat)
	LC50 Fish	160 mg/l (Fish)
Dermal	LD50	1,350 mg/kg (rabbit)
	Absolute lethal concentration	180 ppm (Fish)

Trade Secret

Oral	LD50	>15,000 mg/kg (mouse) >3,300 mg/kg (rat)
	LC50 Fish	>10,000 mg/l (Fish) (Toxicity to fish)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	0.139 mg/l (rat)

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/07/2025

Reviewed on 10/07/2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 7)

7757-79-1 Potassium Nitrate

Oral	LD50	3,015 mg/kg (rat) 1,901 mg/kg (rabbit)
Dermal	LC50 Fish	1,378 mg/l (Fish)
	LD50	>5,000 mg/kg (rat)
	LC50(Daphnia magna)	490 mg/l (daphnia)

8006-90-4 Oils, Peppermint

Oral	LD50	2,490 mg/kg (mouse) 2,426 mg/kg (rat)
------	------	--

7681-49-4 Sodium Fluoride

Oral	LD50	52 mg/kg (mouse)
Dermal	LC50 Fish (static)	17 mg/l (Fish)
	LD50	175 mg/kg (rat)

· **Primary irritant effect:**

· **on the skin:** Caustic effect on skin and mucous membranes.

· **on the eye:**

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

· **Sensitization:** Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

7722-84-1	Hydrogen Peroxide	3
9003-01-4	Polyacrylic Acid	3
9003-39-8	Polyvinylpyrrolidone	3
7681-49-4	Sodium Fluoride	3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

56-81-5 Glycerin

EC50	>10,000 mg/kg (Bacteria)
------	--------------------------

7722-84-1 Hydrogen Peroxide

EC50	1.38 mg/l (Algae)
------	-------------------

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/07/2025

Reviewed on 10/07/2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 8)

	2.4 mg/l (daphnia)
9003-01-4 Polyacrylic Acid	
EC50	174 mg/kg (daphnia)
1310-73-2 Sodium Hydroxide	
EC50	40.38 mg/kg (Water Flea)
Trade Secret	
EC50	>1,000 mg/kg (daphnia)
7681-49-4 Sodium Fluoride	
EC50	272 mg/kg (Algae)
	98 mg/kg (daphnia)
Algae Toxicity (static)	7 mg/l (Algae)

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Dispose of contents/container in accordance with international, federal, state, and local regulations.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· DOT, ADN, IMDG, IATA	Not Regulated
· UN proper shipping name	
· DOT, ADN, IMDG, IATA	Not Regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
· Class	Not Regulated
· Packing group	
· DOT, IMDG, IATA	Not Regulated

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/07/2025

Reviewed on 10/07/2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 9)

- | | |
|---|-----------------|
| · Environmental hazards: | Not Applicable. |
| · Special precautions for user | Not Applicable |
| · Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not Applicable. |
| · UN "Model Regulation": | Not Regulated |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

· **Sara**

- **Section 355 (extremely hazardous substances):**

7722-84-1	Hydrogen Peroxide
-----------	-------------------

- **Section 313 (Specific toxic chemical listings):**

7757-79-1	Potassium Nitrate
-----------	-------------------

- **TSCA (Toxic Substances Control Act):**

56-81-5	Glycerin	ACTIVE
7722-84-1	Hydrogen Peroxide	ACTIVE
9003-01-4	Polyacrylic Acid	ACTIVE
124-43-6	Carbamide Peroxide	ACTIVE
1310-73-2	Sodium Hydroxide	ACTIVE
7757-79-1	Potassium Nitrate	ACTIVE
8006-90-4	Oils, Peppermint	ACTIVE
7681-49-4	Sodium Fluoride	ACTIVE

- **Hazardous Air Pollutants**

None of the ingredients is listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **ACGIH Carcinogenicity (American Conference of Governmental Industrial Hygienists)**

7722-84-1	Hydrogen Peroxide	A3
7681-49-4	Sodium Fluoride	A4

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/07/2025

Reviewed on 10/07/2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 10)

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Chemical safety assessment:** A chemical safety assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental, Health, and Safety

· **Contact:** Customer Service

· **Date of preparation / last revision** 10/07/2025 / -

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Oxidizing Liquids 1: Oxidizing liquids – Category 1

Acute Toxicity - Oral 4: Acute toxicity – Category 4

Skin Corrosion 1B: Skin corrosion/irritation – Category 1B

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Sensitization - Skin 1: Skin sensitisation – Category 1

· *** Data compared to the previous version altered.**