

1 Identification

- **Product identifier**
- **Trade name:** Opalescence™ Boost 35% Non-PF (Bleaching Gel)
- **Article number:** SDS 388-001.04R01, 1005860, 13470, 13651
- **Application of the substance / the mixture** Professional Dental Bleaching Gel
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ultradent Products Inc.
505 W. Ultradent Drive (10200 S)
South Jordan, UT 84095-3942
USA
onlineordersupport@ultradent.com
(800) 552-5512
- **Information department:** Customer Service
- **Emergency telephone number:**
CHEMTREC (NORTH AMERICA) : +1 (800) 424-9300
(INTERNATIONAL) : +(703) 527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS03 Flame over circle

Oxidizing Liquids 2

H272 May intensify fire; oxidizer.



GHS05 Corrosion

Eye Damage 1

H318 Causes serious eye damage.



GHS07

Acute Toxicity - Oral 4

H302 Harmful if swallowed.

Acute Toxicity - Inhalation 4

H332 Harmful if inhaled.

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** GHS03, GHS05, GHS07
- **Signal word** Danger
- **Health Hazard-determining components of labeling:**
Hydrogen Peroxide
- **Hazard statements**
H272 May intensify fire; oxidizer.
H302+H332 Harmful if swallowed or if inhaled.
H318 Causes serious eye damage.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/08/2025

Reviewed on 10/08/2025

Trade name: Opalescence™ Boost 35% Non-PF (Bleaching Gel)

(Contd. of page 1)

· **Precautionary statements**

- P210 Keep away from heat.
 P220 Keep/Store away from clothing/combustible materials.
 P221 Take any precaution to avoid mixing with combustibles.
 P261 Avoid breathing dust/fume/gas/mist/vapors/spray
 P264 Wash thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P271 Use only outdoors or in a well-ventilated area.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.
 P330 Rinse mouth.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a poison center/doctor.
 P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**· **NFPA ratings (scale 0 - 4)**

Health = 3
 Fire = 3
 Reactivity = 0

The substance possesses oxidizing properties.

· **HMIS-ratings (scale 0 - 4)**

Health = 3
 Fire = 3
 Reactivity = 0

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

7722-84-1	Hydrogen Peroxide	>31.5-<38.5%
	Synthetic Amorphous, Pyrogenic Silica	>5-<10%

· **Additional information:**

The specific chemical identity of composition is being withheld as a trade secret. The specific chemical identity is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of paragraph §1910.1200.

4 First-aid measures

· **Description of first aid measures**· **General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/08/2025

Reviewed on 10/08/2025

Trade name: Opalescence™ Boost 35% Non-PF (Bleaching Gel)

(Contd. of page 2)

- **After inhalation:**
This product is a viscous gel, therefore chance of inhalation is extremely low.
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:**
Call a doctor immediately.
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** Causes serious eye damage.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Water spray
Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
In closed unventilated containers, risk of rupture due to the increased pressure from decomposition. Contact with combustible material may cause fire.
- **Advice for firefighters**
Use water spray to cool fire exposed surfaces and protect personnel. Move containers from fire area if there isn't any risk.
- **Protective equipment:**
Wear fully protective suit.
Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Remove combustible materials
Keep people at a distance and stay on the windward side.
Keep away from ignition sources
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Hydrogen Peroxide may be decomposed by adding sodium metabisulfite or sodium sulfite after diluting to about 5%.
Stop the flow of material, if this is without risk.
Combustible materials exposed to hydrogen peroxide should be immediately submerged in or rinsed with large amounts of water to ensure that all hydrogen peroxide is removed. Residual hydrogen peroxide that is allowed to dry (upon evaporation hydrogen peroxide can concentrate) on organic materials such as paper, fabrics, cotton, leather, wood or other combustibles can cause the material to ignite and result in fire.
Dilute with plenty water.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/08/2025

Reviewed on 10/08/2025

Trade name: Opalescence™ Boost 35% Non-PF (Bleaching Gel)

(Contd. of page 3)

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Handling:**

· **Precautions for safe handling**

Keep away from heat and direct sunlight.

Safety glasses should be used by the patient and doctor. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EN).

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:**

Combustible materials exposed to hydrogen peroxide should be immediately submerged in or rinsed with large amounts of water to ensure that all hydrogen peroxide is removed. Residual hydrogen peroxide that is allowed to dry (upon evaporation hydrogen peroxide can concentrate) on organic materials such as paper, fabrics, cotton, leather, wood or other combustibles can cause the material to ignite and result in fire.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Suitable material for receptacles and pipes: Stainless steel.

Suitable material for receptacles and pipes: glass.

Suitable material for receptacles and pipes: Aluminium.

Store only in the original receptacle.

Provide ventilation for receptacles.

· **Information about storage in one common storage facility:**

Store away from reducing agents.

Store away from combustible materials.

Store away from metals.

· **Further information about storage conditions:**

Store receptacle in a well ventilated area.

Store in a cool place.

See product labelling.

Keep receptacle tightly sealed.

· **Specific end use(s)** Professional Dental Bleaching Gel

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

7722-84-1 Hydrogen Peroxide

PEL Long-term value: 1.4 mg/m³, 1 ppm

REL Long-term value: 1.4 mg/m³, 1 ppm

TLV Long-term value: 1 ppm

A3

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/08/2025

Reviewed on 10/08/2025

Trade name: Opalescence™ Boost 35% Non-PF (Bleaching Gel)

(Contd. of page 4)

Synthetic Amorphous, Pyrogenic SilicaACGIH Short-term value: $10 \times 3 \text{ mg/m}^3$

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Ensure that washing facilities are available at the work place.

Do not eat or drink while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Gel

Color: White

· **Odor:** Odorless

· **Odor threshold:** Not determined.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/08/2025

Reviewed on 10/08/2025

Trade name: Opalescence™ Boost 35% Non-PF (Bleaching Gel)

(Contd. of page 5)

· pH-value at 20 °C:	1.8-3.2
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined
· Flash point:	Not applicable
· Flammability:	Not applicable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Not combustible
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density:	Not determined
· Relative density	Not determined
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined
· Other information	Strong oxidizer

10 Stability and reactivity

- **Reactivity** Reactive and oxidizing agent
- **Chemical stability** Stable under recommended conditions.
- **Thermal decomposition / conditions to be avoided:** Decomposes when exposed to heat
- **Possibility of hazardous reactions**
Contact with metals, metallic ions, alkalis, reducing agents and organic matter (such as alcohols or terpenes) may produce self-accelerated thermal decomposition.
Reacts with various metals.
Reacts with organic substances.
- **Conditions to avoid**
pH Variations
UV rays
Contamination
Heat
- **Incompatible materials:**
Heavy Metals
Reducing Agents
Strong Reducing Agents
Combustible Materials

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/08/2025

Reviewed on 10/08/2025

Trade name: Opalescence™ Boost 35% Non-PF (Bleaching Gel)

(Contd. of page 6)

Alkalies
Metals
Organic materials
· **Hazardous decomposition products:** Oxygen

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	1,429 mg/kg
Inhalative	LC50/4 h	31.4 mg/l

7722-84-1 Hydrogen Peroxide

Oral	LC50 Fish	16.4 mg/l (Fish)
------	-----------	------------------

Synthetic Amorphous, Pyrogenic Silica

Oral	LD50	>5,000 mg/kg (rat) (Oral Test Method)
	LC50 Fish	>10,000 mg/l (Fish) (Toxicity to fish)
Dermal	LD50	>2,000 mg/kg (rabbit) (Dermal test method)
	LC50(Daphnia magna)	>1,000-10,000 mg/l (daphnia) (Toxicity to aquatic invertebrates)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

7722-84-1	Hydrogen Peroxide	3
-----------	-------------------	---

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

7722-84-1 Hydrogen Peroxide

EC50	1.38 mg/l (Algae)
	2.4 mg/l (daphnia)

- **Persistence and degradability** No further relevant information available.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/08/2025

Reviewed on 10/08/2025

Trade name: Opalescence™ Boost 35% Non-PF (Bleaching Gel)

(Contd. of page 7)

- **Behavior in environmental systems:**
- **Bioaccumulative potential** May be accumulated in organism
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects**
None known.
None

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Disposal should be in accordance with applicable regional, national and local laws and regulations.
Dispose of contents/container in accordance with international, federal, state, and local regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|--------------------------------------|
| · UN-Number | UN2014 |
| · DOT, IMDG, IATA | |
| · UN proper shipping name | Hydrogen peroxide, aqueous solutions |
| · DOT | HYDROGEN PEROXIDE, AQUEOUS SOLUTION |
| · IMDG, IATA | |
| · Transport hazard class(es) | |
| · DOT | |
|   | |
| · Class | 5.1 Oxidizing substances |
| · Label | 5.1, 8 |
| · IMDG | |
|   | |
| · Class | 5.1 Oxidizing substances |

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/08/2025

Reviewed on 10/08/2025

Trade name: Opalescence™ Boost 35% Non-PF (Bleaching Gel)

(Contd. of page 8)

· **Label** 5.1/8· **IATA**

· **Class** 5.1 Oxidizing substances
 · **Label** Forbidden

· **Packing group**
 · **DOT, IMDG, IATA** II

· **Environmental hazards:** Not Applicable.

· **Special precautions for user** Warning: Oxidizing substances
 · **Hazard identification number (Kemler code):** 58
 · **EMS Number:** F-H,S-Q
 · **Segregation groups** (SGG16) Peroxides
 · **Stowage Category** D
 · **Stowage Code** SW1 Protected from sources of heat.
 · **Segregation Code** SG16 Stow "separated from" class 4.1
 SG59 Stow "separated from" SGG14-permanganates
 SG72 See 7.2.6.3.2.

· **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not Applicable.

· **Transport/Additional information:**

· **DOT**
 · **Quantity limitations** On passenger aircraft/rail: 1 L
 On cargo aircraft only: 5 L

· **IMDG**
 · **Limited quantities (LQ)** 1L
 · **Excepted quantities (EQ)** Code: E2
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":** UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS, 5.1 (8), II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
 No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

7722-84-1 Hydrogen Peroxide

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

7722-84-1 Hydrogen Peroxide

ACTIVE

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/08/2025

Reviewed on 10/08/2025

Trade name: Opalescence™ Boost 35% Non-PF (Bleaching Gel)

(Contd. of page 9)

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **ACGIH Carcinogenicity (American Conference of Governmental Industrial Hygienists)**

7722-84-1 Hydrogen Peroxide

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Chemical safety assessment:**

Product contains high levels of hydrogen peroxide, which has a known toxicological profile. Product is only to be used by licensed dental professionals using the specified engineering controls.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental, Health, and Safety· **Contact:** Customer Service· **Date of preparation / last revision** 10/08/2025 / -· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Oxidizing Liquids 2: Oxidizing liquids – Category 2

Acute Toxicity - Oral 4: Acute toxicity – Category 4

Eye Damage 1: Serious eye damage/eye irritation – Category 1

· *** Data compared to the previous version altered.**