

Printing date 05/05/2025 Reviewed on 05/05/2025

1 Identification

- · Product identifier
- · Trade name: OpalescenceTM Boost 35% Non-PF (Activator)
- · Article number: SDS 389-001.03R01, 1005861, 13651
- · Application of the substance / the mixture Professional Dental Bleaching Gel
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ultradent Products Inc.

505 W. Ultradent Drive (10200 S) South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

- · Information department: Customer Service
- · Emergency telephone number:

CHEMTREC (NORTH AMERICA): +1 (800) 424-9300 (INTERNATIONAL): +(703) 527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements Void
- · Hazard pictograms GHS05
- · Signal word Danger
- Health Hazard-determining components of labeling:

Potassium Hydroxide

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P405 Store locked up.

(Contd. on page 2)

Reviewed on 05/05/2025 Printing date 05/05/2025

Trade name: OpalescenceTM Boost 35% Non-PF (Activator)

(Contd. of page 1)

P501

Dispose of contents/container in accordance with local/regional/national/international

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



3 Health = 3Fire = 0

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
56-81-5	Glycerin	>50-≤100%		
1310-58-3	Potassium Hydroxide	<5%		
9003-01-4	Polyacrylic Acid	≤2.5%		

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

This product is a viscous gel, therefore chance of inhalation is extremely low.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Do not induce vomiting; call for medical help immediately.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

Water mist

Water fog

Water spray

(Contd. on page 3)

Printing date 05/05/2025 Reviewed on 05/05/2025

Trade name: OpalescenceTM Boost 35% Non-PF (Activator)

(Contd. of page 2)

Foam, dry chemical, carbon dioxide

Use fire fighting measures that suit the environment.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment:

Wear fully protective suit.

Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Safety glasses should be used by the patient and doctor. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EN).

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from flammable substances.
- Further information about storage conditions:

See product labelling.

Keep receptacle tightly sealed.

· Specific end use(s) Professional Dental Bleaching Gel

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

Printing date 05/05/2025 Reviewed on 05/05/2025

Trade name: OpalescenceTM Boost 35% Non-PF (Activator)

(Contd. of page 3)

· Control parameters

· Comp	· Components with limit values that require monitoring at the workplace:				
	56-81-5 Glycerin				
PEL	Long-term value: 15* 5** mg/m³				
	mist; *total dust **respirable fraction				
TLV	TLV withdrawn-insufficient data human occup. exp.				
1310-	1310-58-3 Potassium Hydroxide				
REL	Ceiling limit value: 2 mg/m³				
TLV	Ceiling limit value: 2 mg/m³				
9003-	9003-01-4 Polyacrylic Acid				
TWA	Short-term value: 0.05 mg/m³				

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· **Body protection:** Protective work clothing

Printing date 05/05/2025 Reviewed on 05/05/2025

Trade name: Opalescence™ Boost 35% Non-PF (Activator)

(Contd. of page 4)

Information on basic physical and chemical properties					
General Information					
Appearance:	Gel				
Form: Color:					
Odor:	Orange to Dark Red Odorless				
Odor threshold:	Not determined.				
pH-value at 20 °C:	>12				
<u>*</u>	- 12				
Change in condition					
Melting point/Melting range:	Undetermined. Undetermined				
Boiling point/Boiling range:	Unaeterminea				
Flash point:	Not applicable				
Flammability:	Not applicable.				
Decomposition temperature:	Not determined.				
Ignition temperature:	Product is not selfigniting.				
Danger of explosion:	Product does not present an explosion hazard.				
Explosion limits:					
Lower:	Not determined.				
Upper:	Not determined.				
Vapor pressure:	Not determined.				
Density at 20 °C:	1.3 g/cm³				
Relative density	Not determined				
Vapor density	Not determined.				
Evaporation rate	Not determined.				
Solubility in / Miscibility with					
Water:	Fully miscible.				
Partition coefficient (n-octanol/wat	ter): Not determined.				
Viscosity:					
Dynamic:	Not determined.				
Kinematic:	Not determined				

10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability

· Other information

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

No further relevant information available.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat
- · Incompatible materials:

Organic materials

Acids

Metals

(Contd. on page 6)

Printing date 05/05/2025 Reviewed on 05/05/2025

Trade name: OpalescenceTM Boost 35% Non-PF (Activator)

(Contd. of page 5)

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

	Acute toxicity.					
LD/LC50 values that are relevant for classification:						
ATE (Acute Toxicity Estimate)						
Oral	LD50	7,133 mg/kg (rat)				
56-81-5 Glycerin						
Oral	LD50	7,750 mg/kg (guinea pig)				
		4,100 mg/kg (mouse)				
		5,570 mg/kg (rat)				
		27,000 mg/kg (rabbit)				
	LC50 Fish	>5,000 mg/l (Fish)				
Dermal	LD50	>21,900 mg/kg (rat)				
		10,000 mg/kg (rabbit)				
1310-58-3 Potassium Hydroxide						
Oral	LD50	214 mg/kg (rat)				
	LC50 Fish	80 mg/l (Fish)				
9003-01-4 Polyacrylic Acid						
Oral	LC50 Fish	580 mg/l (Fish)				

- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)			
9003-01-4 Polyacrylic Acid	3		
· NTP (National Toxicology Program)			
None of the ingredients is listed.			
· OSH 4-Ca (Occupational Safety & Health Administration)			

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Printing date 05/05/2025 Reviewed on 05/05/2025

Trade name: OpalescenceTM Boost 35% Non-PF (Activator)

(Contd. of page 6)

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

56-81-5 Glycerin

EC50 >10,000 mg/kg (Bacteria)

9003-01-4 Polyacrylic Acid

EC50 174 mg/kg (daphnia)

- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Do not allow product to reach sewage system.

Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · **DOT, IMDG, IATA** UN1814
- · UN proper shipping name
- **DOT** Potassium hydroxide, solution
- · IMDG, IATA POTASSIUM HYDROXIDE SOLUTION

(Contd. on page 8)

Reviewed on 05/05/2025 Printing date 05/05/2025

Trade name: OpalescenceTM Boost 35% Non-PF (Activator)

(Contd. of page 7)

· Transport hazard class(es)

 $\cdot DOT$

·Label



· Class 8 Corrosive substances

· IMDG, IATA



· Class 8 Corrosive substances

· Label

· Packing group

· DOT, IMDG, IATA II

· Environmental hazards: Not Applicable.

Warning: Corrosive substances · Special precautions for user

· Hazard identification number (Kemler code): 80 F-A,S-B· EMS Number:

· Segregation groups (SGG18) Alkalis

· Stowage Category

· Segregation Code SG35 Stow "separated from" SGG1-acids

MARPOL73/78 and the IBC Code

· Transport in bulk according to Annex II of

· Transport/Additional information:

 $\cdot DOT$

· Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L

 \cdot IMDG

IL· Limited quantities (LQ) Code: E2 · Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

UN 1814 POTASSIUM HYDROXIDE, SOLUTION, 8, II · UN "Model Regulation":

Not Applicable.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- ·Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 9)

Printing date 05/05/2025 Reviewed on 05/05/2025

Trade name: OpalescenceTM Boost 35% Non-PF (Activator)

(Contd. of page 8)

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

ACGIH Carcinogenicity (American Conference of Governmental Industrial Hygienists)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A chemical safety assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health, and Safety
- · Contact: Customer Service
- · Date of preparation / last revision 05/05/2025 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

 $REL: Recommended \ Exposure \ Limit$

Skin Corrosion 1A: Skin corrosion/irritation – Category 1A

Eye Damage 1: Serious eye damage/eye irritation – Category 1

* Data compared to the previous version altered.