

Printing date 10/06/2025 Reviewed on 10/06/2025

1 Identification

- · Product identifier
- · Trade name: OpalescenceTM Boost 35% Non-PF (Mixed)
- · Article number: SDS 390-001.03R01, 1005860, 1005861, 13651, 4487-JP, 4488-JP, 6233-JP
- · Application of the substance / the mixture Professional Dental Bleaching Gel
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ultradent Products Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

on line order support@ultradent.com

(800) 552-5512

- · Information department: Customer Service
- · Emergency telephone number:

CHEMTREC (NORTH AMERICA): +1 (800) 424-9300 (INTERNATIONAL): +(703) 527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS03 Flame over circle

Oxidizing Liquids 2 H272 May intensify fire; oxidizer.



GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Skin Irritation 2 H315 Causes skin irritation.

- · Label elements
- · GHS label elements Void
- · Hazard pictograms GHS03, GHS05
- · Signal word Danger
- · Health Hazard-determining components of labeling:

Hydrogen Peroxide

· Hazard statements

H272 May intensify fire; oxidizer.

H315 Causes skin irritation.

H318 Causes serious eye damage.

· Precautionary statements

P210 Keep away from heat.

(Contd. on page 2)

Printing date 10/06/2025 Reviewed on 10/06/2025

Trade name: OpalescenceTM Boost 35% Non-PF (Mixed)

(Contd. of page 1)

Keep/Store away from clothing/combustible materials.

P220 Keep/Store away from clothing/combustible materials.
 P221 Take any precaution to avoid mixing with combustibles.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



```
Health = 3
Fire = 3
Reactivity = 0
```

The substance possesses oxidizing properties.

· HMIS-ratings (scale 0 - 4)



Health = 3 Fire = 3Reactivity = 0

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components: | | |
|-----------------------------|---------------------------------------|----------|
| 56-81-5 | Glycerin | >25-≤50% |
| 7722-84-1 Hydrogen Peroxide | | >10-≤25% |
| | Synthetic Amorphous, Pyrogenic Silica | 1-10% |
| 1310-58-3 | Potassium Hydroxide | ≤2.5% |

· Additional information:

The specific chemical identity of composition is being withheld as a trade secret. The specific chemical identity is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of paragraph §1910.1200.

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

This product is a viscous gel, therefore chance of inhalation is extremely low. In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

Printing date 10/06/2025 Reviewed on 10/06/2025

Trade name: OpalescenceTM Boost 35% Non-PF (Mixed)

(Contd. of page 2)

· After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Water spray

Use fire fighting measures that suit the environment.

· Special hazards arising from the substance or mixture

In closed unventilated containers, risk of rupture due to the increased pressure from decomposition. Contact with combustible material may cause fire.

· Advice for firefighters

Use water spray to cool fire exposed surfaces and protect personnel. Move containers from fire area if there isn't any risk.

- · Protective equipment: Wear fully protective suit.
- · Additional information

Move containers from fire area if there isn't any risk.

Cool endangered receptacles with water spray.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources

Keep people at a distance and stay on the windward side.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Hydrogen Peroxide may be decomposed by adding sodium metabisulfite or sodium sulfite after diluting to about 5%.

Stop the flow of material, if this is without risk.

Combustible materials exposed to hydrogen peroxide should be immediately submerged in or rinsed with large amounts of water to ensure that all hydrogen peroxide is removed. Residual hydrogen peroxide that is allowed to dry (upon evaporation hydrogen peroxide can concentrate) on organic materials such as paper, fabrics, cotton, leather, wood or other combustibles can cause the material to ignite and result in fire.

Dilute with plenty water.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Printing date 10/06/2025 Reviewed on 10/06/2025

Trade name: OpalescenceTM Boost 35% Non-PF (Mixed)

(Contd. of page 3)

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Safety glasses should be used by the patient and doctor. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EN).

· Information about protection against explosions and fires:

Combustible materials exposed to hydrogen peroxide should be immediately submerged in or rinsed with large amounts of water to ensure that all hydrogen peroxide is removed. Residual hydrogen peroxide that is allowed to dry (upon evaporation hydrogen peroxide can concentrate) on organic materials such as paper, fabrics, cotton, leather, wood or other combustibles can cause the material to ignite and result in fire.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Provide ventilation for receptacles.

Suitable material for receptacles and pipes: Stainless steel.

Suitable material for receptacles and pipes: Aluminium.

Suitable material for receptacles and pipes: glass.

Store only in the original receptacle.

Information about storage in one common storage facility:

Store away from combustible materials.

Store away from reducing agents.

Store away from metals.

· Further information about storage conditions:

Store receptacle in a well ventilated area.

Store in a cool place.

See product labelling.

Keep receptacle tightly sealed.

· Specific end use(s) Professional Dental Bleaching Gel

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

| · Components with limit values that require monitoring at the workplace: | | |
|--|--|--|
| 56-81-5 Glycerin | | |
| PEL | Long-term value: 15* 5** mg/m³ mist; *total dust **respirable fraction | |
| TLV | TLV withdrawn-insufficient data human occup. exp. | |
| 7722-84-1 Hydrogen Peroxide | | |
| PEL | Long-term value: 1.4 mg/m³, 1 ppm | |
| REL | Long-term value: 1.4 mg/m³, 1 ppm | |
| TLV | Long-term value: 1 ppm A3 | |
| Synthetic Amorphous, Pyrogenic Silica | | |
| ACGII | Short-term value: 10* 3 mg/m³ | |
| | (Contd. on page 5) | |

Printing date 10/06/2025 Reviewed on 10/06/2025

Trade name: OpalescenceTM Boost 35% Non-PF (Mixed)

(Contd. of page 4)

1310-58-3 Potassium Hydroxide

REL Ceiling limit value: 2 mg/m³
TLV Ceiling limit value: 2 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Do not eat or drink while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

- Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Gel

Color: Light Orange to Pink

Odor: OdorlessOdor threshold: Not determined.

• pH-value at 20 °C: 6.5-8.5

(Contd. on page 6)

Printing date 10/06/2025 Reviewed on 10/06/2025

Trade name: Opalescence™ Boost 35% Non-PF (Mixed)

| | | (Contd. of page |
|--|---|-----------------|
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | Undetermined | |
| Flash point: | Not applicable | |
| Flammability: | Not applicable. | |
| Decomposition temperature: | Not determined. | |
| Ignition temperature: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure: | Not determined. | |
| Density at 20 °C: | 1.24 g/cm³ | |
| Relative density | Not determined | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| · Partition coefficient (n-octanol/water): Not determined. | | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: Not determined | | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: Decomposes when exposed to heat
- · Possibility of hazardous reactions

Contact with metals, metallic ions, alkalis, reducing agents and organic matter (such as alcohols or terpenes) may produce self-accelerated thermal decomposition.

Reacts with various metals.

Reacts with organic substances.

· Conditions to avoid

pH Variations

UV rays

Contamination

· Incompatible materials:

Heavy Metals

Combustible Materials

Reducing Agents

Alkalis

Organic materials

(Contd. on page 7)

Printing date 10/06/2025 Reviewed on 10/06/2025

Trade name: Opalescence™ Boost 35% Non-PF (Mixed)

· Hazardous decomposition products: Oxygen

(Contd. of page 6)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| Acute tox | | | | |
|--|-------------------------------|--|--|--|
| LD/LC50 values that are relevant for classification: | | | | |
| ATE (Acu | ATE (Acute Toxicity Estimate) | | | |
| Oral | LD50 | 2,041 mg/kg | | |
| Inhalative | LC50/4 h | 44.9 mg/l | | |
| 56-81-5 Glycerin | | | | |
| Oral | LD50 | 7,750 mg/kg (guinea pig) | | |
| | | 4,100 mg/kg (mouse) | | |
| | | 5,570 mg/kg (rat) | | |
| | | 27,000 mg/kg (rabbit) | | |
| | LC50 Fish | >5,000 mg/l (Fish) | | |
| Dermal | LD50 | >21,900 mg/kg (rat) | | |
| | | 10,000 mg/kg (rabbit) | | |
| 7722-84-1 Hydrogen Peroxide | | | | |
| Oral | LC50 Fish | 16.4 mg/l (Fish) | | |
| Synthetic Amorphous, Pyrogenic Silica | | | | |
| Oral | LD50 | >5,000 mg/kg (rat) (Oral Test Method) | | |
| | LC50 Fish | >10,000 mg/l (Fish) (Toxicity to fish) | | |
| Dermal | LD50 | >2,000 mg/kg (rabbit) (Dermal test method) | | |
| | LC50(Daphnia magna) | >1,000-10,000 mg/l (daphnia) (Toxicity to aquatic invertebrates) | | |
| 1310-58-3 Potassium Hydroxide | | | | |
| Oral | LD50 | 214 mg/kg (rat) | | |
| | LC50 Fish | 80 mg/l (Fish) | | |
| | • | • | | |

- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

| · IARC (Int | · IARC (International Agency for Research on Cancer) | | |
|-------------|--|---|--|
| 7722-84-1 | Hydrogen Peroxide | 3 | |
| 9003-01-4 | Polyacrylic Acid | 3 | |
| · NTP (Nat | · NTP (National Toxicology Program) | | |
| None of th | None of the ingredients is listed. | | |

(Contd. on page 8)

Printing date 10/06/2025 Reviewed on 10/06/2025

Trade name: OpalescenceTM Boost 35% Non-PF (Mixed)

(Contd. of page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

56-81-5 Glycerin

EC50 >10,000 mg/kg (Bacteria)

7722-84-1 Hydrogen Peroxide

EC50 1.38 mg/l (Algae)

2.4 mg/l (daphnia)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Do not allow product to reach sewage system.

Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number

· **DOT**, **IMDG**, **IATA** UN2014

· UN proper shipping name

• **DOT** Hydrogen peroxide, aqueous solutions

· **IMDG, IATA** HYDROGEN PEROXIDE, AQUEOUS SOLUTION

(Contd. on page 9)

Printing date 10/06/2025 Reviewed on 10/06/2025

Trade name: Opalescence™ Boost 35% Non-PF (Mixed)

(Contd. of page 8) · Transport hazard class(es) $\cdot DOT$ · Class 5.1 Oxidizing substances ·Label 5.1, 8 \cdot *IMDG* · Class 5.1 Oxidizing substances · Label 5.1/8 \cdot IATA 5.1 Oxidizing substances · Class ·Label Forbidden · Packing group · DOT, IMDG, IATA IINot Applicable. · Environmental hazards: · Special precautions for user Warning: Oxidizing substances · Hazard identification number (Kemler code): 58 · EMS Number: F-H,S-Q (SGG16) Peroxides · Segregation groups · Stowage Category · Stowage Code SW1 Protected from sources of heat. · Segregation Code SG16 Stow "separated from" class 4.1 SG59 Stow "separated from" SGG14-permanganates SG72 See 7.2.6.3.2. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not Applicable. · Transport/Additional information: $\cdot DOT$ On passenger aircraft/rail: 1 L Quantity limitations On cargo aircraft only: 5 L \cdot IMDG · Limited quantities (LQ) ILCode: E2 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml (Contd. on page 10)

Printing date 10/06/2025 Reviewed on 10/06/2025

Trade name: OpalescenceTM Boost 35% Non-PF (Mixed)

(Contd. of page 9)

· UN "Model Regulation":

UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS, 5.1 (8), II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

| | · Section 355 | (extremely | hazardous | substances) |): |
|--|---------------|------------|-----------|-------------|----|
|--|---------------|------------|-----------|-------------|----|

7722-84-1 Hydrogen Peroxide

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

| 56-81-5 | Glycerin | ACTIVE |
|-----------|---------------------|--------|
| 7722-84-1 | Hydrogen Peroxide | ACTIVE |
| 1310-58-3 | Potassium Hydroxide | ACTIVE |

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

ACGIH Carcinogenicity (American Conference of Governmental Industrial Hygienists)

7722-84-1 Hydrogen Peroxide

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment:

Product contains high levels of hydrogen peroxide, which has a known toxicological profile. Product is only to be used by licensed dental professionals using the specified engineering controls.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health, and Safety
- · Contact: Customer Service

(Contd. on page 11)

Printing date 10/06/2025 Reviewed on 10/06/2025

Trade name: OpalescenceTM Boost 35% Non-PF (Mixed)

(Contd. of page 10)

· Date of preparation / last revision 10/06/2025 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Oxidizing Liquids 2: Oxidizing liquids – Category 2

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1

* Data compared to the previous version altered.