



Safety Data Sheet

acc. to OSHA HCS

Printing date 10/02/2025

Reviewed on 10/02/2025

*

1 Identification

- **Product identifier**
- **Trade name:** UltraTemp™ REZ II - Base
- **Article number:** SDS 440-001.03R01, 1007603, 14410, 6061, S6061
- **Application of the substance / the mixture** Professional dental luting & filling agent
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ultradent Products Inc.
505 W. Ultradent Drive (10200 S)
South Jordan, UT 84095-3942
USA
onlineordersupport@ultradent.com
(800) 552-5512
- **Information department:** Customer Service
- **Emergency telephone number:**
CHEMTREC (NORTH AMERICA) : +1 (800) 424-9300
(INTERNATIONAL) : +(703) 527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

Skin Irritation 2 H315 Causes skin irritation.
Eye Irritation 2A H319 Causes serious eye irritation.
Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** GHS07
- **Signal word** Warning
- **Health Hazard-determining components of labeling:**
Hydroxypropyl Methacrylate
Benzoyl Peroxide
Trade Secret
- **Hazard statements**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
- **Precautionary statements**
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P264 Wash thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves / eye protection / face protection.
P302+P352 If on skin: Wash with plenty of water.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/02/2025

Reviewed on 10/02/2025

Trade name: UltraTemp™ REZ II - Base

(Contd. of page 1)

- P362+P364 Take off contaminated clothing and wash it before reuse.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P321 Specific treatment (see on this label).
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P363 Wash contaminated clothing before reuse.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**· **NFPA ratings (scale 0 - 4)**· **HMIS-ratings (scale 0 - 4)**

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**· **Description:** Mixture of the substances listed below with nonhazardous additions.· **Dangerous components:**

20882-04-6	Mono-2-(Methacryloyloxy) Ethyl Succinate	>10-≤25%
27813-02-1	Hydroxypropyl Methacrylate	≥1-<10%
	Trade Secret	1-10%
1830-78-0	Glycerol Dimethacrylate	≥1-<10%
94-36-0	Benzoyl Peroxide	≥0.1-<1%
79-41-4	Methacrylic Acid	≥0-<1%
	Trade Secret	≥0.1-<1%

· **Additional information:**

The specific chemical identity of composition is being withheld as a trade secret. The specific chemical identity is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of paragraph §1910.1200.

4 First-aid measures

· **Description of first aid measures**· **General information:** Immediately remove any clothing soiled by the product.· **After inhalation:**

This product is a viscous gel, therefore chance of inhalation is extremely low.
Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/02/2025

Reviewed on 10/02/2025

Trade name: UltraTemp™ REZ II - Base

(Contd. of page 2)

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Water spray, fog, or mist, foam, dry chemical, carbon dioxide
Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear fully protective suit.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
See product labeling.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
See product labelling.
Keep receptacle tightly sealed.
- **Specific end use(s)** Professional dental luting & filling agent

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/02/2025

Reviewed on 10/02/2025

Trade name: UltraTemp™ REZ II - Base

(Contd. of page 3)

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

Trade Secret	
TWA	Short-term value: 0.8 mg/m ³
79-41-4 Methacrylic Acid	
REL	Long-term value: 70 mg/m ³ , 20 ppm Skin
TLV	Long-term value: 20 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

- **Body protection:** Protective work clothing

US

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/02/2025

Reviewed on 10/02/2025

Trade name: UltraTemp™ REZ II - Base

(Contd. of page 4)

9 Physical and chemical properties

· Information on basic physical and chemical properties	
· General Information	
· Appearance:	
Form:	Gel
Color:	Blue
· Odor:	Acrylic
· Odor threshold:	Not determined.
· pH-value:	Not applicable (non-aqueous)
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined
· Flash point:	Not applicable
· Flammability:	Not applicable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C:	1.18 g/cm ³
· Relative density	Not determined
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	
Not determined.	
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/02/2025

Reviewed on 10/02/2025

Trade name: UltraTemp™ REZ II - Base

(Contd. of page 5)

11 Toxicological information

· **Information on toxicological effects**· **Acute toxicity:**· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Dermal	LD50	>108,696-≤543,478 mg/kg (rabbit)
--------	------	----------------------------------

Trade Secret

Oral	LD50	>15,000 mg/kg (mouse) >3,300 mg/kg (rat)
	LC50 Fish	>10,000 mg/l (Fish) (Toxicity to fish)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	0.139 mg/l (rat)

94-36-0 Benzoyl Peroxide

Oral	LD50	>5,000 mg/kg (rat)
	LC50 Fish	0.0602 mg/l (Fish) (Toxicity to fish)
Inhalative	LD50 Inhalation 4hrs	24.3 mg/l (rat) (Testing of Chemicals Acute Toxicity Inhalation)

79-41-4 Methacrylic Acid

Oral	LD50	1,250 mg/kg (mouse) 1,060 mg/kg (rat) 1,200 mg/kg (rabbit)
	LC50 Fish	86 mg/l (Fish)
Dermal	LD50	1,000 mg/kg (guinea pig) 500 mg/kg (rabbit)
Inhalative	LC50/4 h	7.1 mg/l (rat)

Trade Secret

Oral	LD50	810 mg/kg (rat)
------	------	-----------------

· **Primary irritant effect:**· **on the skin:** Irritant to skin and mucous membranes.· **on the eye:** Irritating effect.· **Sensitization:** Sensitization possible through skin contact.· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

13760-80-0	Ytterbium Trifluoride	3
94-36-0	Benzoyl Peroxide	3
75-56-9	Methyloxirane	2B
97-53-0	Eugenol	3
	Co-Cr-AL Spinel Blue Green	2B
14808-60-7	Silica Glass	1
128-37-0	Butylated Hydroxytoluene	3

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/02/2025

Reviewed on 10/02/2025

Trade name: UltraTemp™ REZ II - Base

(Contd. of page 6)

· **NTP (National Toxicology Program)**

75-56-9	Methyloxirane	R
14808-60-7	Silica Glass	K

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**· **Aquatic toxicity:****Trade Secret**

EC50	>1,000 mg/kg (daphnia)
94-36-0 Benzoyl Peroxide	
Algae Toxicity	0.0711 mg/l (Algae) (Toxicity to algae) 0.11 mg/l (daphnia) (Toxicity to aquatic invertebrates)
79-41-4 Methacrylic Acid	
EC50	17,000 mg/kg (Algae) <180 mg/kg (daphnia) (Toxicity to aquatic invertebrates)

· **Persistence and degradability** No further relevant information available.· **Behavior in environmental systems:**· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**· **Recommendation:**

Dispose of contents/container in accordance with international, federal, state, and local regulations.

· **Uncleaned packagings:**· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**· **DOT, IMDG, IATA**

Not Regulated

· **UN proper shipping name**· **DOT, ADN, IMDG, IATA**

Not Regulated

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/02/2025

Reviewed on 10/02/2025

Trade name: UltraTemp™ REZ II - Base

(Contd. of page 7)

- | | |
|---|-----------------|
| · Transport hazard class(es) | |
| · DOT, ADN, IMDG, IATA | |
| · Class | Not Regulated |
| · Packing group | |
| · DOT, IMDG, IATA | Not Regulated |
| · Environmental hazards: | Not Applicable. |
| · Special precautions for user | Not Applicable |
| · Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not Applicable. |
| · UN "Model Regulation": | Not Regulated |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.
- **Sara**

· Section 355 (extremely hazardous substances):	
--	--

75-56-9	Methyloxirane
---------	---------------

· Section 313 (Specific toxic chemical listings):	
--	--

94-36-0	Benzoyl Peroxide
---------	------------------

75-56-9	Methyloxirane
---------	---------------

	Co-Cr-AL Spinel Blue Green
--	----------------------------

· TSCA (Toxic Substances Control Act):		
---	--	--

20882-04-6	Mono-2-(Methacryloyloxy) Ethyl Succinate	ACTIVE
------------	--	--------

27813-02-1	Hydroxypropyl Methacrylate	ACTIVE
------------	----------------------------	--------

1830-78-0	Glycerol Dimethacrylate	ACTIVE
-----------	-------------------------	--------

94-36-0	Benzoyl Peroxide	ACTIVE
---------	------------------	--------

79-41-4	Methacrylic Acid	ACTIVE
---------	------------------	--------

	Trade Secret	ACTIVE
--	--------------	--------

· Hazardous Air Pollutants	
-----------------------------------	--

75-56-9	Methyloxirane
---------	---------------

	Co-Cr-AL Spinel Blue Green
--	----------------------------

· Proposition 65	
-------------------------	--

· Chemicals known to cause cancer:	
---	--

75-56-9	Methyloxirane
---------	---------------

14808-60-7	Silica Glass
------------	--------------

· Chemicals known to cause reproductive toxicity for females:	
--	--

None of the ingredients is listed.	
------------------------------------	--

· Chemicals known to cause reproductive toxicity for males:	
--	--

None of the ingredients is listed.	
------------------------------------	--

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/02/2025

Reviewed on 10/02/2025

Trade name: UltraTemp™ REZ II - Base

(Contd. of page 8)

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

75-56-9	Methyloxirane	B2
---------	---------------	----

· **ACGIH Carcinogenicity (American Conference of Governmental Industrial Hygienists)**

13760-80-0	Ytterbium Trifluoride	A4
------------	-----------------------	----

94-36-0	Benzoyl Peroxide	A4
---------	------------------	----

75-56-9	Methyloxirane	A3
---------	---------------	----

14808-60-7	Silica Glass	A2
------------	--------------	----

128-37-0	Butylated Hydroxytoluene	A4
----------	--------------------------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

75-56-9	Methyloxirane	
---------	---------------	--

14808-60-7	Silica Glass	
------------	--------------	--

· **Chemical safety assessment:**

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental, Health, and Safety

· **Contact:** Customer Service

· **Date of preparation / last revision** 10/02/2025 / -

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Sensitization - Skin 1: Skin sensitisation – Category 1

· *** Data compared to the previous version altered.**