

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/11/2020

Reviewed on 10/15/2020

1 Identification

- **Product identifier**
- **Trade name:** Opalescence™ 35% CP Mint
- **Article number:** 1007932
- **Index number:** SDS 448-001.01
- **Application of the substance / the mixture** Professional Dental Teeth Whitening Gel
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ultradent Products Inc.
505 W. Ultradent Drive (10200 S)
South Jordan, UT 84095-3942
USA
onlineordersupport@ultradent.com
- **Information department:** Customer Service
- **Emergency telephone number:**
CHEMTREC (NORTH AMERICA) : (800) 424-9300
(INTERNATIONAL) : +(703) 527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**



- Acute Tox. 4 H302 Harmful if swallowed.
- Acute Tox. 4 H332 Harmful if inhaled.
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2A H319 Causes serious eye irritation.
- Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **GHS label elements**
Medical Devices, Cosmetics, and Drugs are exempt from the labeling requirements of the Globally Harmonized System (GHS).
- **Hazard pictograms** GHS07
- **Signal word** Warning
- **Hazard-determining components of labeling:**
Carbamide Peroxide
Hydrogen Peroxide
Sodium Hydroxide
Oils, Peppermint
- **Hazard statements**
Harmful if swallowed or if inhaled.
Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
- **Precautionary statements**
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/11/2020

Reviewed on 10/15/2020

Trade name: Opalescence™ 35% CP Mint

(Contd. of page 1)

- P271 Use only outdoors or in a well-ventilated area.
 P272 Contaminated work clothing must not be allowed out of the workplace.
 P280 Wear protective gloves / eye protection / face protection.
 P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.
 P330 Rinse mouth.
 P302+P352 If on skin: Wash with plenty of water.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P363 Wash contaminated clothing before reuse.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**· **NFPA ratings (scale 0 - 4)**· **HMIS-ratings (scale 0 - 4)**· **Other hazards**· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**· **Description:** Mixture of the substances listed below with nonhazardous additions.· **Dangerous components:**

56-81-5	Glycerin Eye Irrit. 2B, H320	>25-≤50%
124-43-6	Carbamide Peroxide ⚠ Ox. Sol. 3, H272; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318	>10-≤20%
9003-01-4	Polyacrylic Acid	>2.5-≤10%
7722-84-1	Hydrogen Peroxide ⚠ Ox. Liq. 1, H271; ⚠ Skin Corr. 1A, H314; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332	≥2.5-≤10%
25322-68-3	Polyethylene Glycol	>2.5-≤10%
1310-73-2	Sodium Hydroxide ⚠ Acute Tox. 3, H301; ⚠ Met. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H312	<5%
8006-90-4	Oils, Peppermint ⚠ Asp. Tox. 1, H304; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; Flam. Liq. 4, H227	<1%

US

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/11/2020

Reviewed on 10/15/2020

Trade name: Opalescence™ 35% CP Mint

(Contd. of page 2)

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** This product is a viscous gel, therefore chance of inhalation is extremely low.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

56-81-5	Glycerin	45 mg/m ³
124-43-6	Carbamide Peroxide	1.2 mg/m ³
7722-84-1	Hydrogen Peroxide	10 ppm
25322-68-3	Polyethylene Glycol	30 mg/m ³
6381-92-6	Edetate Disodium	30 mg/m ³

· PAC-2:

56-81-5	Glycerin	180 mg/m ³
124-43-6	Carbamide Peroxide	13 mg/m ³
7722-84-1	Hydrogen Peroxide	50 ppm
25322-68-3	Polyethylene Glycol	1,300 mg/m ³
6381-92-6	Edetate Disodium	330 mg/m ³

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/11/2020

Reviewed on 10/15/2020

Trade name: Opalescence™ 35% CP Mint

(Contd. of page 3)

· PAC-3:		
56-81-5	Glycerin	1,100 mg/m ³
124-43-6	Carbamide Peroxide	79 mg/m ³
7722-84-1	Hydrogen Peroxide	100 ppm
25322-68-3	Polyethylene Glycol	7,700 mg/m ³
6381-92-6	Edetate Disodium	2,000 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
See product labelling.
Keep receptacle tightly sealed.
- **Specific end use(s)** Professional Dental Teeth Whitening Gel

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
At this time, the other constituents have no known exposure limits.

56-81-5 Glycerin	
PEL	Long-term value: 15* 5** mg/m ³ mist; *total dust **respirable fraction
TLV	TLV withdrawn-insufficient data human occup. exp.
TWA	Short-term value: 15 mg/m ³
9003-01-4 Polyacrylic Acid	
TWA	Short-term value: 0.05 mg/m ³
7722-84-1 Hydrogen Peroxide	
PEL	Long-term value: 1.4 mg/m ³ , 1 ppm
REL	Long-term value: 1.4 mg/m ³ , 1 ppm
TLV	Long-term value: 1.4 mg/m ³ , 1 ppm
25322-68-3 Polyethylene Glycol	
WEEL	Long-term value: 10 mg/m ³ (H); MW>200
1310-73-2 Sodium Hydroxide	
PEL	Long-term value: 2 mg/m ³

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/11/2020

Reviewed on 10/15/2020

Trade name: Opalescence™ 35% CP Mint

(Contd. of page 4)

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Gel

Color: Clear

· **Odor:** Mint

· **Odor threshold:** Not determined.

· **pH-value at 20 °C:** 5-7

· **Change in condition**

Melting point/Melting range: Undetermined.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/11/2020

Reviewed on 10/15/2020

Trade name: Opalescence™ 35% CP Mint

(Contd. of page 5)

Boiling point/Boiling range:	Undetermined
· Flash point:	Not applicable
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C:	1.2-1.3 g/cm ³
· Relative density	Not determined
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Partly soluble
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined
· Solvent content:	
Organic solvents:	<40 %
Water:	<40 %
VOC content:	<1 %
	7.2-7.8 g/l / 0.06-0.07 lb/gal
VOC (EC)	<1 %
Solids content:	<40.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Excess heat
- **Incompatible materials:** Strong caustics, Most Metals
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/11/2020

Reviewed on 10/15/2020

Trade name: Opalescence™ 35% CP Mint

(Contd. of page 6)

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)		
Oral	LD50	>1,885-2,546 mg/kg
Dermal	LD50	46,552 mg/kg (rabbit)
Inhalative	LC50/4 h	>0.479 mg/l
56-81-5 Glycerin		
Oral	LD50	7,750 mg/kg (Guinea pig)
		4,100 mg/kg (mouse)
		5,570 mg/kg (rat)
		27,000 mg/kg (rabbit)
Dermal	LC50 Fish	>5,000 mg/l (Fish)
	LD50	>21,900 mg/kg (rat)
Inhalative	LC50/4 h	10,000 mg/kg (rabbit)
		>0.1425 mg/l (rat)
124-43-6 Carbamide Peroxide		
Oral	LD50	>2,000 mg/kg (rat)
9003-01-4 Polyacrylic Acid		
Oral	LC50 Fish	580 mg/l (Fish)
7722-84-1 Hydrogen Peroxide		
Oral	LC50 Fish	16.4 mg/l (Fish)
25322-68-3 Polyethylene Glycol		
Oral	LD50	19,600 mg/kg (Guinea pig)
		17,300 mg/kg (mouse)
		>10,000 mg/kg (rat)
Dermal	LC50 Fish	>100 mg/l (Fish)
	LD50	>20,000 mg/kg (rabbit)
	LC50(Daphnia magna)	>10,000 mg/l (Water Flea) (Toxicity to aquatic invertebrates)
1310-73-2 Sodium Hydroxide		
Oral	LD50	130-340 mg/kg (rat)
	LC50 Fish	160 mg/l (Fish)
Dermal	LD50	1,350 mg/kg (rabbit)
	Absolute lethal concentration	180 ppm (Fish)
8006-90-4 Oils, Peppermint		
Oral	LD50	2,490 mg/kg (mouse)
		2,426 mg/kg (rat)

· Primary irritant effect:

· on the skin: Irritant to skin and mucous membranes.

· on the eye: Irritating effect.

· Sensitization: Sensitization possible through skin contact.

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/11/2020

Reviewed on 10/15/2020

Trade name: Opalescence™ 35% CP Mint

(Contd. of page 7)

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

9003-01-4	Polyacrylic Acid	3
7722-84-1	Hydrogen Peroxide	3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Germ cell mutagenicity** Does not meet the classification criteria for this hazard class.

- **Carcinogenicity**

Hydrogen Peroxide & Polyacrylic Acid are listed on the IARC Group 3 carcinogens. These items are not classifiable as to its carcinogenicity to humans.

- **Reproductive toxicity** Does not meet the classification criteria for this hazard class.

- **Specific target organ toxicity - single exposure** Does not meet the classification criteria for this hazard class.

- **Specific target organ toxicity - repeated exposure** Does not meet the classification criteria for this hazard class.

- **Aspiration hazard** Does not meet the classification criteria for this hazard class.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

56-81-5 Glycerin	
EC50	>10,000 mg/l (Bacteria)
	>10,000 mg/l (daphnia)
9003-01-4 Polyacrylic Acid	
EC50	174 mg/kg (daphnia)
7722-84-1 Hydrogen Peroxide	
EC50	1.38 mg/l (Algae)
	2.4 mg/l (daphnia)
1310-73-2 Sodium Hydroxide	
EC50	40.38 mg/l (Water Flea)

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/11/2020

Reviewed on 10/15/2020

Trade name: Opalescence™ 35% CP Mint

(Contd. of page 8)

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Dispose of contents/container in accordance with local/regional/national/international regulations.
Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|--|-----------------|
| · UN-Number | |
| · DOT, IMDG, IATA | not regulated |
| · UN proper shipping name | |
| · DOT, IMDG, IATA | Not Regulated |
| · Transport hazard class(es) | |
| · DOT, IMDG, IATA | |
| · Class | not regulated |
| · ADN/R Class: | Not Regulated |
| · Packing group | |
| · DOT, IMDG, IATA | not regulated |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | not regulated |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

7722-84-1	Hydrogen Peroxide
-----------	-------------------

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

- **Hazardous Air Pollutants**

None of the ingredients is listed.

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/11/2020

Reviewed on 10/15/2020

Trade name: Opalescence™ 35% CP Mint

(Contd. of page 9)

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

7722-84-1 Hydrogen Peroxide

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Chemical safety assessment:**

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental, Health & Safety

· **Contact:** Customer Service

· **Date of preparation / last revision** 11/11/2020 / -

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 4: Flammable liquids – Category 4

Ox. Liq. 1: Oxidizing liquids – Category 1

Ox. Sol. 3: Oxidizing solids – Category 3

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

(Contd. on page 11)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/11/2020

Reviewed on 10/15/2020

Trade name: Opalescence™ 35% CP Mint

(Contd. of page 10)

Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B
Skin Sens. 1: Skin sensitisation – Category 1
Asp. Tox. 1: Aspiration hazard – Category 1

US