



Safety Data Sheet

acc. to OSHA HCS

Printing date 10/06/2025

Reviewed on 10/06/2025

1 Identification

- **Product identifier**
- **Trade name:** *Opalescence™ Boost PF 35% HP Mixed*
- **Article number:** *SDS 468-001.02R01, 1005860, 1009827, 13470, 4488, 6242*
- **Application of the substance / the mixture** *Professional dental in office tooth bleaching gel.*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
*Ultradent Products Inc.
505 W. Ultradent Drive (10200 S)
South Jordan, UT 84095-3942
USA
onlineordersupport@ultradent.com
(800) 552-5512*
- **Information department:** *Customer Service*
- **Emergency telephone number:**
*CHEMTREC (NORTH AMERICA) : +1 (800) 424-9300
(INTERNATIONAL) : +(703) 527-3887*

2 Hazard(s) identification

- **Classification of the substance or mixture**

*GHS03 Flame over circle**Oxidizing Liquids 2 H272 May intensify fire; oxidizer.**GHS05 Corrosion**Eye Damage 1 H318 Causes serious eye damage.**GHS07**Skin Irritation 2 H315 Causes skin irritation.*

- **Label elements**
- **GHS label elements** *The product is classified according to the Globally Harmonized System (GHS)*
- **Hazard pictograms** *GHS03, GHS05*
- **Signal word** *Danger*
- **Health Hazard-determining components of labeling:**
Hydrogen Peroxide
- **Hazard statements**
*H272 May intensify fire; oxidizer.
H315 Causes skin irritation.
H318 Causes serious eye damage.*
- **Precautionary statements**
P210 Keep away from heat.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/06/2025

Reviewed on 10/06/2025

Trade name: Opalescence™ Boost PF 35% HP Mixed

(Contd. of page 1)

- P220 Keep/Store away from clothing/combustible materials.
 P221 Take any precaution to avoid mixing with combustibles.
 P264 Wash thoroughly after handling.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P302+P352 If on skin: Wash with plenty of water.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a poison center/doctor.
 P321 Specific treatment (see on this label).
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3
 Fire = 3
 Reactivity = 0

The substance possesses oxidizing properties.

· **HMIS-ratings (scale 0 - 4)**



Health = 3
 Fire = 3
 Reactivity = 0

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

56-81-5	Glycerin	≥10-<40%
7722-84-1	Hydrogen Peroxide	>10-≤25%
	Synthetic Amorphous, Pyrogenic Silica	1-10%
1310-58-3	Potassium Hydroxide	≥0.5-<2%

· **Additional information:**

The specific chemical identity of composition is being withheld as a trade secret. The specific chemical identity is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of paragraph §1910.1200.

4 First-aid measures

· **Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/06/2025

Reviewed on 10/06/2025

Trade name: Opalescence™ Boost PF 35% HP Mixed

(Contd. of page 2)

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/06/2025

Reviewed on 10/06/2025

Trade name: Opalescence™ Boost PF 35% HP Mixed

(Contd. of page 3)

· Control parameters

· Components with limit values that require monitoring at the workplace:

56-81-5 Glycerin

PEL Long-term value: 15* 5** mg/m³
mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

7722-84-1 Hydrogen Peroxide

PEL Long-term value: 1.4 mg/m³, 1 ppm

REL Long-term value: 1.4 mg/m³, 1 ppm

TLV Long-term value: 1 ppm
A3

Synthetic Amorphous, Pyrogenic Silica

ACGIH Short-term value: 10* 3 mg/m³

1310-58-3 Potassium Hydroxide

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

· **Additional information:** The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· **Breathing equipment:** Not required.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/06/2025

Reviewed on 10/06/2025

Trade name: Opalescence™ Boost PF 35% HP Mixed

(Contd. of page 4)

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Gel
Color:	Red
Odor:	Odorless
Odor threshold:	Not determined.

· pH-value at 20 °C: 6.5-8.5

· Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined

· Flash point: Not applicable

· Flammability: Not applicable.

· Decomposition temperature: Not determined.

· Ignition temperature: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· Vapor pressure at 20 °C: 23.3 hPa

· Density at 20 °C: 1.2 g/cm³· Bulk density: ~1,078~1,085 kg/m³

· Relative density: Not determined

· Vapor density: Not determined.

· Evaporation rate: Not determined.

· Solubility in / Miscibility with

Water: Partly soluble

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined

· Other information: No further relevant information available.

10 Stability and reactivity

· **Reactivity** No further relevant information available.· **Chemical stability**· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.· **Possibility of hazardous reactions** No dangerous reactions known.· **Conditions to avoid** No further relevant information available.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/06/2025

Reviewed on 10/06/2025

Trade name: Opalescence™ Boost PF 35% HP Mixed

(Contd. of page 5)

· **Incompatible materials:**

Alkalis
Heavy Metals
Combustible Materials
Reducing Agents
Organic materials

· **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on toxicological effects**· **Acute toxicity:**· **LD/LC50 values that are relevant for classification:****ATE (Acute Toxicity Estimate)**

Oral	LD50	2,041 mg/kg
Inhalative	LC50/4 h	44.9 mg/l

56-81-5 Glycerin

Oral	LD50	7,750 mg/kg (guinea pig) 4,100 mg/kg (mouse) 5,570 mg/kg (rat) 27,000 mg/kg (rabbit)
Dermal	LC50 Fish	>5,000 mg/l (Fish)
	LD50	>21,900 mg/kg (rat) 10,000 mg/kg (rabbit)

7722-84-1 Hydrogen Peroxide

Oral	LC50 Fish	16.4 mg/l (Fish)
------	-----------	------------------

Synthetic Amorphous, Pyrogenic Silica

Oral	LD50	>5,000 mg/kg (rat) (Oral Test Method)
	LC50 Fish	>10,000 mg/l (Fish) (Toxicity to fish)
Dermal	LD50	>2,000 mg/kg (rabbit) (Dermal test method)
	LC50(Daphnia magna)	>1,000-10,000 mg/l (daphnia) (Toxicity to aquatic invertebrates)

1310-58-3 Potassium Hydroxide

Oral	LD50	214 mg/kg (rat)
	LC50 Fish	80 mg/l (Fish)

· **Primary irritant effect:**· **on the skin:** Irritant to skin and mucous membranes.· **on the eye:** Strong irritant with the danger of severe eye injury.· **Sensitization:** No sensitizing effects known.· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

7722-84-1	Hydrogen Peroxide	3
9003-01-4	Polyacrylic Acid	3

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/06/2025

Reviewed on 10/06/2025

Trade name: Opalescence™ Boost PF 35% HP Mixed

(Contd. of page 6)

7681-49-4 Sodium Fluoride

3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**· **Aquatic toxicity:****56-81-5 Glycerin**

EC50 >10,000 mg/kg (Bacteria)

7722-84-1 Hydrogen Peroxide

EC50 1.38 mg/l (Algae)

2.4 mg/l (daphnia)

· **Persistence and degradability** No further relevant information available.· **Behavior in environmental systems:**· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**· **Recommendation:**

Dispose of contents/container in accordance with international, federal, state, and local regulations.

· **Uncleaned packagings:**· **Recommendation:** Disposal must be made according to official regulations.· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**· **DOT, IMDG, IATA**

UN2014

· **UN proper shipping name**· **DOT**· **IMDG, IATA**

Hydrogen peroxide, aqueous solutions

HYDROGEN PEROXIDE, AQUEOUS SOLUTION

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/06/2025

Reviewed on 10/06/2025

Trade name: Opalescence™ Boost PF 35% HP Mixed

(Contd. of page 7)

· **Transport hazard class(es)**· **DOT**· **Class**

5.1 Oxidizing substances

· **Label**

5.1, 8

· **IMDG**· **Class**

5.1 Oxidizing substances

· **Label**

5.1/8

· **IATA**· **Class**

5.1 Oxidizing substances

· **Label**

Forbidden

· **Packing group**· **DOT, IMDG, IATA**

II

· **Environmental hazards:**

Not Applicable.

· **Special precautions for user**

Warning: Oxidizing substances

· **Hazard identification number (Kemler code):**

58

· **EMS Number:**

F-H,S-Q

· **Segregation groups**

(SGG16) Peroxides

· **Stowage Category**

D

· **Stowage Code**

SW1 Protected from sources of heat.

· **Segregation Code**

SG16 Stow "separated from" class 4.1

SG59 Stow "separated from" SGG14-permanganates

SG72 See 7.2.6.3.2.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not Applicable.

· **Transport/Additional information:**· **DOT**· **Quantity limitations**

On passenger aircraft/rail: 1 L

On cargo aircraft only: 5 L

· **IMDG**· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/06/2025

Reviewed on 10/06/2025

Trade name: Opalescence™ Boost PF 35% HP Mixed

(Contd. of page 8)

· **UN "Model Regulation":** UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS, 5.1 (8), II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

7722-84-1	Hydrogen Peroxide
-----------	-------------------

· **Section 313 (Specific toxic chemical listings):**

7757-79-1	Potassium Nitrate
-----------	-------------------

· **TSCA (Toxic Substances Control Act):**

56-81-5	Glycerin	ACTIVE
7722-84-1	Hydrogen Peroxide	ACTIVE
1310-58-3	Potassium Hydroxide	ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **ACGIH Carcinogenicity (American Conference of Governmental Industrial Hygienists)**

7722-84-1	Hydrogen Peroxide	A3
7681-49-4	Sodium Fluoride	A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Chemical safety assessment:** A chemical safety assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental, Health, and Safety

· **Contact:** Customer Service

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/06/2025

Reviewed on 10/06/2025

Trade name: Opalescence™ Boost PF 35% HP Mixed

(Contd. of page 9)

· Date of preparation / last revision 10/06/2025 / -**· Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Oxidizing Liquids 2: Oxidizing liquids – Category 2

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1

· * Data compared to the previous version altered.

US