



SAFETY DATA SHEET

Product Name: Endo-Eze MTAFlow Gel

1. Product and Company Identification				
Product Name: Endo-Eze MTAFlow Gel		SDS Code Number: SDS25		
Trade Name & Synonyms: Endo-Eze MTAFlow Gel		Last Revision: N/A	Effective Date: 07/06/2022	
Chemical Name: no name assigned to mixture		Manufactured by NuSmile Ltd. for Ultradent		
CAS. Number: None assigned		Address: 505 10200 S #3935, South Jordan, UT 84095 Website: www.ultradent.com		
Grades or Minor Variant Identities: None		Telephone Number: (801) 572-4200		
Product Use (for Canada): Water-based liquid for mixing with MTAFlow Powder for dental use.		e-mail: onlineordersupport@ultradent.com		
2. Hazard Identification				
Emergency Overview: slightly acidic water-based gel solution				
Routes of Exposure	Single, Repeated, or Lifetime Exposure	Severity (Mild, Moderate, Severe)	Acute and Chronic Health Effect(s) of hazardous component	Target Organ(s)
Eye	Single	Moderate		-
Skin	Single	Mild		-
Inhalation	Single	Mild		Lung
Ingestion	Single	Mild		-
Medical Conditions Aggravated by Exposure: none known				
Carcinogenicity (IARC, NTP): none known				
Potential Environmental Effects: miscible with water with no known effects.				
3. Composition of Ingredients				
Chemical name: None assigned		CAS number: N/A		
Common Name & Synonyms: Endo-Eze MTAFlow Gel		Hazardous Components: None		
Impurities & Stabilizing additives: None		Exposure Limits: None		
4. First Aid Measures				
Routes of Exposure	First Aid Instructions	Immediate Medical Attention	Effects	
			Acute	Delayed
Eye	Immediately flush eyes with plenty of water for several minutes, while holding eyelids apart.	Get medical attention immediately.		
Skin	Immediately flush skin with plenty of cool soapy water.	Get medical attention.		
Inhalation	Supply fresh air. If not breathing, give artificial respiration. If breathing is difficult, administer oxygen. Keep patient warm.	Get medical attention.		
Ingestion	If ingestion occurs, flush mouth with water, and seek medical attention.	Get medical attention.		
Other	Seek medical advice after large-scale exposure.	-		
Note to Physicians (Treatment, Testing, and Monitoring): Treat symptomatically.				
5. Fire and Explosion Data				
Flashpoint & Method: Not applicable to gel	Flammable (Explosive) Limits in Air LEL/UEL: Not applicable		Autoignition Temperature: Not applicable	
Flame Propagation or Burning Rate (for solids): Not applicable to gel	Properties Contributing to Fire Intensity: None		Flammability Classification: 0	
Extinguishing Media: Water spray, foam, carbon dioxide, or dry chemical.		Extinguishing Media to Avoid: None		
Protection and Procedures for Firefighters: Usual. Avoid inhalation of smoke; use a respirator and protective suit.				
Unusual Fire and Explosion Hazards: Fumes of carbon dioxide, nitrogen oxides, and carbon monoxide may be evolved in a fire.				
6. Accidental Release Measures				
Containment Techniques: Discard in trash.				
Spill/Leak Clean-Up Procedures and Equipment: Wipe up spills with rags to prevent material from being dispersed, and discard in trash. Dispose of container and unused contents in accordance with federal, state, and local requirements.				
Evacuation Procedures: N/E		Special Instructions: N/E		Reporting Requirements: N/E
7. Handling and Storage				
Handling Practices and Warnings: Gel is slightly acidic. Wear suitable gloves and protective glasses during use. Keep out of eyes or contact with mucosal tissues. After incidental contact, wash and rinse with water. Endo-Eze MTAFlow gel must be kept well-sealed, and free of contamination by pyrogens. Only trained personnel may use this product exclusively for dental purposes.				
Storage Practices and Warnings: Store at room temperature (25°C/77°F). Keep bottle tightly closed. Inappropriate storage will shorten the shelf life.				
8. Exposure Control/Personal Protection				
Ventilation: Use in a well-ventilated area.		Other Engineering Controls: None		
Routes of Entry:	Personal Protective Equipment (PPE) for Normal Use:		PPE for Emergencies:	
Eye/Face	Wear safety glasses.		Safety glasses or face shield.	
Skin	Wear latex or nitrile gloves and avoid skin contact.		Gloves and Face shield.	
Inhalation	Avoid inhalation.		Dust mask or respirator.	



SAFETY DATA SHEET

Product Name: Endo-Eze MTAFlow Gel

General Hygiene Considerations and Work Practices: Wear gloves as per universal precautions in dentistry. Wash your hands after use. No eating, drinking, or smoking while handling this product. Wash clothing with spill.		
Protective Measures During Repair and Maintenance of Contaminated Equipment: Use gloves.		
Other Protective Measures and Equipment: N/E		OSHA PELs: None
9. Physical and Chemical Characteristics		
Appearance: Pale yellow liquid		Odor: None
Normal Physical State: <input checked="" type="checkbox"/> Liquid. <input type="checkbox"/> Gas <input type="checkbox"/> Solid _____ (Other)		Boiling Point: ~100°C: Melting Point: 0°C Freezing Point: 0°C
Specific Gravity or Density (H ₂ O=1): ~1.1	Solubility in Water: Soluble	pH: 3 - 4
Vapor Pressure (mm Hg @ 20°C): N/D	Vapor Density (AIR= 1): N/D	Evaporation Rate (Butyl Acetate = 1): N/D
Other, Including flammability or explosive limits / Odor / Odor threshold / Flashpoint / any other characteristic as per OSHA brief # 3514: None		
10. Stability and Reactivity Data		
Incompatibility (Materials to Avoid): Do not mix with material other than MTA Flow powders.		
Hazardous Products Produced During Decomposition: Decomposition products of the minor components of gel include carbon dioxide, nitrogen oxides, and carbon monoxide.		
Hazardous Polymerization? <input type="checkbox"/> May Occur <input checked="" type="checkbox"/> May Not Occur		Conditions to Avoid: Heat
Stability? <input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable		Reactivity Considerations: None
11. Toxicological Information		
Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data, estimated from contents of components: None known		
Immediate, delayed or chronic effects from long and / or short-term exposure: None known		
Description of exposure symptoms: None known.		
Potential Carcinogen Indication (NTP, IARC or by OSHA): None.		
12. Ecological Information		
Toxicity, Environmental Fate, Physical/Chemical Data, or Other Data Supporting Environmental Hazard Statements: Discard in trash.		
13. Disposal Considerations		
Regulations: Dispose of container and unused contents in accordance with federal, state, and local requirements.		
Properties (Physical/Chemical) Affecting Disposal: None known		
14. Transport Information		
Regulated for shipping? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Proper Shipping Names: Endo-Eze MTAFlow Gel	Packing Group: DOT class: NR
Do changes in quantity, packaging, or shipment method change product <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Hazard Class: Non-hazardous	Identification Number: None Other: none
15. Regulatory Information		
Federal Regulations: Hazard code: Xn (irritant)		
Safety phrases: S22 Harmful if swallowed; S26 in case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39 Wear suitable protective clothing, gloves, and eye protection. S45 In case of accident, or if you feel unwell, seek medical advice immediately. <u>TSCA listed</u>		
16. Other Information		
This information is based on our present knowledge; however, this shall not constitute a guarantee for a specific product feature. No toxicity data are available for this specific formulation. This health hazard assessment is based on information that is available for its components. N/A= not applicable. N/D= not determined. N/E= not established.		