

**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 11/10/2022

Reviewed on 11/10/2022

**1 Identification**

- **Product identifier**
- **Trade name:** *Opalescence™ Endo*
- **Article number:** *SDS 74-001.11, 35263*
- **Application of the substance / the mixture** *Professional Dental Bleaching Gel*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*Ultradent Products Inc.  
505 W. Ultradent Drive (10200 S)  
South Jordan, UT 84095-3942  
USA  
onlineordersupport@ultradent.com*
- **Information department:** *Customer Service*
- **Emergency telephone number:**  
*CHEMTREC (NORTH AMERICA) : (800) 424-9300  
(INTERNATIONAL) : +(703) 527-3887*

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



*GHS05 Corrosion*

*Eye Damage 1*

*H318 Causes serious eye damage.*



*GHS07*

*Acute Toxicity - Oral 4 H302 Harmful if swallowed.*

*Skin Irritation 2 H315 Causes skin irritation.*

- **Label elements**
- **GHS label elements** *Void*
- **Hazard pictograms** *GHS05, GHS07*
- **Signal word** *Danger*
- **Health Hazard-determining components of labeling:**  
*Hydrogen Peroxide*
- **Hazard statements**  
*H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.*
- **Precautionary statements**  
*P264 Wash thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves / eye protection / face protection.  
P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.*

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/10/2022

Reviewed on 11/10/2022

**Trade name: Opalescence™ Endo**

(Contd. of page 1)

- P302+P352 *If on skin: Wash with plenty of water.*  
 P305+P351+P338 *If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*  
 P310 *Immediately call a poison center/doctor.*  
 P321 *Specific treatment (see on this label).*  
 P330 *Rinse mouth.*  
 P362+P364 *Take off contaminated clothing and wash it before reuse.*  
 P332+P313 *If skin irritation occurs: Get medical advice/attention.*  
 P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 3  
 Fire = 0  
 Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 3  
 Fire = 0  
 Reactivity = 0

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

7722-84-1	Hydrogen Peroxide	>31-<39%
25322-68-3	Polyethylene Glycol	>10-<30%
	Trade Secret	>1-<10%

- **Additional information:**

*The specific chemical identity of composition is being withheld as a trade secret. The specific chemical identity is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of paragraph §1910.1200.*

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
*Immediately remove any clothing soiled by the product.  
 Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.*
- **After inhalation:**  
*This product is a viscous gel, therefore chance of inhalation is extremely low.  
 In case of unconsciousness place patient stably in side position for transportation.*
- **After skin contact:**  
*If skin irritation continues, consult a doctor.  
 Immediately wash with water and soap and rinse thoroughly.*
- **After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.*
- **After swallowing:** *Immediately call a doctor.*

(Contd. on page 3)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/10/2022

Reviewed on 11/10/2022

**Trade name: Opalescence™ Endo**

(Contd. of page 2)

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** Eye irritant, Skin irritant
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
Water spray  
Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**  
In closed unventilated containers, risk of rupture due to the increased pressure from decomposition. Contact with combustible material may cause fire.
- **Advice for firefighters**  
Use water spray to cool fire exposed surfaces and protect personnel. Move containers from fire area if there isn't any risk.
- **Protective equipment:** Wear fully protective suit.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Keep people at a distance and stay on the windward side.  
Keep away from ignition sources  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Hydrogen Peroxide may be decomposed by adding sodium metabisulfite or sodium sulfite after diluting to about 5%.  
Stop the flow of material, if this is without risk.  
Combustible materials exposed to hydrogen peroxide should be immediately submerged in or rinsed with large amounts of water to ensure that all hydrogen peroxide is removed. Residual hydrogen peroxide that is allowed to dry (upon evaporation hydrogen peroxide can concentrate) on organic materials such as paper, fabrics, cotton, leather, wood or other combustibles can cause the material to ignite and result in fire.  
Dilute with plenty water.  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Keep away from heat and direct sunlight.  
Safety glasses should be used by the patient and doctor. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EN).

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/10/2022

Reviewed on 11/10/2022

Trade name: Opalescence™ Endo

(Contd. of page 3)

- **Information about protection against explosions and fires:**  
Combustible materials exposed to hydrogen peroxide should be immediately submerged in or rinsed with large amounts of water to ensure that all hydrogen peroxide is removed. Residual hydrogen peroxide that is allowed to dry (upon evaporation hydrogen peroxide can concentrate) on organic materials such as paper, fabrics, cotton, leather, wood or other combustibles can cause the material to ignite and result in fire.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Suitable material for receptacles and pipes: Stainless steel.  
Suitable material for receptacles and pipes: glass.  
Suitable material for receptacles and pipes: Aluminium.  
Store only in the original receptacle.  
Provide ventilation for receptacles.
- **Information about storage in one common storage facility:**  
Store away from reducing agents.  
Store away from combustible materials.  
Store away from metals.
- **Further information about storage conditions:**  
Store receptacle in a well ventilated area.  
Store in a cool place.  
See product labelling.  
Keep receptacle tightly sealed.
- **Specific end use(s)** Professional Dental Bleaching Gel

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

<b>Components with limit values that require monitoring at the workplace:</b>	
<b>7722-84-1 Hydrogen Peroxide</b>	
PEL	Long-term value: 1.4 mg/m <sup>3</sup> , 1 ppm
REL	Long-term value: 1.4 mg/m <sup>3</sup> , 1 ppm
TLV	Long-term value: 1 ppm
	A3
<b>25322-68-3 Polyethylene Glycol</b>	
WEEL	Long-term value: 10 mg/m <sup>3</sup> (H); MW>200
<b>Trade Secret</b>	
TWA	Short-term value: 0.8 mg/m <sup>3</sup>

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the skin.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** Use suitable respiratory protective device when high concentrations are present.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/10/2022

Reviewed on 11/10/2022

Trade name: Opalescence™ Endo

(Contd. of page 4)

· **Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Tightly sealed goggles

· **Body protection:** Protective work clothing

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

<b>Form:</b>	Paste
<b>Color:</b>	Clear to White
<b>Odor:</b>	Odorless
<b>Odor threshold:</b>	Not determined.

· **pH-value at 20 °C:** 3-5· **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	Undetermined

· **Flash point:** Not applicable· **Flammability (solid, gaseous):** Not applicable.· **Decomposition temperature:** Not determined.· **Auto igniting:** Product is not selfigniting.· **Danger of explosion:** Product does not present an explosion hazard.· **Explosion limits:**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.

· **Vapor pressure:** Not determined.

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/10/2022

Reviewed on 11/10/2022

Trade name: Opalescence™ Endo

(Contd. of page 5)

- |                            |                        |
|----------------------------|------------------------|
| · <b>Density at 20 °C:</b> | 1.23 g/cm <sup>3</sup> |
| · <b>Relative density</b>  | Not determined         |
| · <b>Vapor density</b>     | Not determined.        |
| · <b>Evaporation rate</b>  | Not determined.        |

- |  |                |
|--|----------------|
| · <b>Solubility in / Miscibility with Water:</b> | Partly soluble |
|--|----------------|

- |   |                 |
|---|-----------------|
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined. |
|---|-----------------|

- |                     |                 |
|---------------------|-----------------|
| · <b>Viscosity:</b> |                 |
| <b>Dynamic:</b>     | Not determined. |
| <b>Kinematic:</b>   | Not determined  |

- |                            |  |
|----------------------------|--|
| · <b>Other information</b> | No further relevant information available. |
|----------------------------|--|

## 10 Stability and reactivity

- **Reactivity** Reactive and oxidizing agent
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** Decomposes when exposed to heat
- **Possibility of hazardous reactions**  
Contact with metals, metallic ions, alkalis, reducing agents and organic matter (such as alcohols or terpenes) may produce self-accelerated thermal decomposition.  
Reacts with various metals.  
Reacts with organic substances.
- **Conditions to avoid**  
pH Variations  
UV rays  
Contamination  
Metals  
Water, Moist Air  
Heat  
Avoid strong bases, metals, excess heat, exposure to moist air or water
- **Incompatible materials:**  
Heavy Metals  
Reducing Agents  
Combustible Materials  
Organic materials  
Strong caustics, most metals
- **Hazardous decomposition products:** Oxygen

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- |   |  |
|---|--|
| · <b>LD/LC50 values that are relevant for classification:</b> |  |
|---|--|

<b>ATE (Acute Toxicity Estimate)</b>		
Oral	LD50	1,418 mg/kg
Inhalative	LC50/4 h	31.2 mg/l

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/10/2022

Reviewed on 11/10/2022

Trade name: Opalescence™ Endo

(Contd. of page 6)

<b>7722-84-1 Hydrogen Peroxide</b>		
Oral	LC50 Fish	16.4 mg/l (Fish)
<b>25322-68-3 Polyethylene Glycol</b>		
Oral	LD50	19,600 mg/kg (Guinea pig)
		17,300 mg/kg (mouse)
Dermal	LC50 Fish	>10,000 mg/kg (rat)
		>100 mg/l (Fish)
	LD50	>20,000 mg/kg (rabbit)
	LC50(Daphnia magna)	>10,000 mg/l (Water Flea) (Toxicity to aquatic invertebrates)
<b>Trade Secret</b>		
Oral	LD50	>15,000 mg/kg (mouse)
		>3,300 mg/kg (rat)
Dermal	LC50 Fish	>10,000 mg/l (Fish) (Toxicity to fish)
		LD50
Inhalative	LC50/4 h	0.139 mg/l (rat)

- **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.

- **on the eye:** Strong irritant with the danger of severe eye injury.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

7722-84-1	Hydrogen Peroxide	3
-----------	-------------------	---

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

**7722-84-1 Hydrogen Peroxide**

EC50	1.38 mg/l (Algae)
	2.4 mg/l (daphnia)

**Trade Secret**

EC50	>1,000 mg/kg (daphnia)
------	------------------------

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/10/2022

Reviewed on 11/10/2022

Trade name: Opalescence™ Endo

(Contd. of page 7)

· **Additional ecological information:**· **General notes:**

*Water hazard class 1 (Self-assessment): slightly hazardous for water*

*Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*

*Must not reach bodies of water or drainage ditch undiluted or unneutralized.*

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**· **Recommendation:**

*Dispose of contents/container in accordance with international, federal, state, and local regulations.*

· **Uncleaned packagings:**· **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

· **UN-Number**· **DOT, IMDG, IATA**

UN3265

· **UN proper shipping name**· **DOT**

*Corrosive liquid, acidic, organic, n.o.s. (Hydrogen peroxide, stabilized)*

· **IMDG, IATA**

*CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (HYDROGEN PEROXIDE, STABILIZED)*

· **Transport hazard class(es)**· **DOT**· **Class**

8 Corrosive substances

· **Label**

8

· **IMDG, IATA**· **Class**

8 Corrosive substances

· **Label**

8

· **Packing group**· **DOT, IMDG, IATA**

II

· **Environmental hazards:**

Not Applicable.

· **Special precautions for user**

Warning: Corrosive substances

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/10/2022

Reviewed on 11/10/2022

Trade name: Opalescence™ Endo

(Contd. of page 8)

· **Hazard identification number (Kemler code):** 80  
 · **EMS Number:** F-A,S-B  
 · **Segregation groups** (SGG1) Acids  
 · **Stowage Category** B  
 · **Stowage Code** SW2 Clear of living quarters.  
 · **Segregation Code** SG36 Stow "separated from" SGG18-alkalis.  
 SG49 Stow "separated from" SGG6-cyanides

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not Applicable.

· **Transport/Additional information:**

· **DOT**  
 · **Quantity limitations** On passenger aircraft/rail: 1 L  
 On cargo aircraft only: 30 L

· **IMDG**  
 · **Limited quantities (LQ)** 1L  
 · **Excepted quantities (EQ)** Code: E2  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":** UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (HYDROGEN PEROXIDE AQUEOUS SOLUTIONS, STABILIZED), 8, II

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
 No further relevant information available.

· **Sara**· **Section 355 (extremely hazardous substances):**

7722-84-1	Hydrogen Peroxide
-----------	-------------------

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

7722-84-1	Hydrogen Peroxide	ACTIVE
25322-68-3	Polyethylene Glycol	ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/10/2022

Reviewed on 11/10/2022

**Trade name: Opalescence™ Endo**

(Contd. of page 9)

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **ACGIH Carcinogenicity (American Conference of Governmental Industrial Hygienists)**

7722-84-1 Hydrogen Peroxide

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Chemical safety assessment:**

Product contains high levels of hydrogen peroxide, which has a known toxicological profile. Product is only to be used by licensed dental professionals using the specified engineering controls.

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing SDS:** Environmental, Health, and Safety

· **Contact:** Customer Service

· **Date of preparation / last revision** 11/10/2022 / -

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Toxicity - Oral 4: Acute toxicity – Category 4

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1

· **\* Data compared to the previous version altered.**